

TRACELINK UNIVERSITY

Home
Resources
TraceLink University

Optimizing Solution Delivery With Predefined Object Operations in OPUS



Object operations are central to OPUS's no-code and metadata-driven framework, allowing users to interact with their business objects through predefined actions. OPUS's metadata-driven architecture automatically generates object operations based on metadata configurations. Without the need for page-specific logic, consistency is governed and solutions are delivered faster.



Each operation is tied to a specific object and automatically wires up behaviors,

© TraceLink Inc. 2009 - 2025 All Rights Reserved

like interactions on an object instance (e.g. edit, save), navigation, and workflow transitions. This ensures consistency across both the UI and API. OPUS offers a diverse range of object types, each with predefined operations that can be seamlessly integrated into your solution. The OPUS Solution Environment (OSE) allows users to effortlessly add these operations through a simple drag-and-drop interface. When an operation is selected, the UI automatically prompts for any necessary input, ensuring instance data is wired up and ready before the operation is executed.


From an OPUS Solution Design perspective, object operations significantly reduce both cognitive load and development overhead by providing predefined actions for each page type, eliminating the need to manually create calls-to-action (CTAs) for individual screens. These operations go beyond typical CRUD (create, read, update, delete) actions, accelerating solution delivery while improving overall quality.

In a multienterprise context, this feature is particularly valuable as it ensures users can only see and perform actions configured for them, based on their assigned roles and permissions. Roles are defined by the operations, menus, and menu items associated with them, providing consistent control over user access across both enterprise and multienterprise applications. Even within your own enterprise (e.g. an enterprise solution), roles are essential for managing user access within a single company, allowing the Owner to enforce specific permissions and actions within their organization.

Standard Operations Simplify User Interactions

Standard operations, such as search, view, create (new), edit, and delete, are predefined for each business object. These actions provide intuitive, consistent ways for users to interact with objects, ensuring a streamlined user experience. Standard operations offer basic functionality required across nearly every business object, eliminating the need for application-specific logic. Some examples include:

© TraceLink Inc. 2009 - 2025 All Rights Reserved



- Search (e.g. locating purchase orders)
- New (e.g. creating a new purchase order)
- View (e.g. displaying details of a purchase order)
- Edit (e.g. modifying an existing purchase order)
- Delete (e.g. removing a purchase order)

Specialized Operations Address Unique Business Needs

When standard operations don’t meet specific business requirements, OPUS Solution Designers can define specialized operations. These extend beyond basic CRUD actions, addressing unique workflows or permissions. For example, a specialized operation like "editComment" allows more granular control over user interactions.

These are necessary when:

- Specific operation permissions are required.
- Menu item permissions don't restrict API access.
- Multiple screen types are needed (e.g. Full Edit vs. Simple Edit).
- Input arguments exceed standard data model fields.

TraceLink University

Related Content

© TraceLink Inc. 2009 - 2025 All Rights Reserved



TraceLink’s OPUS Platform

TraceLink’s OPUS is a unique platform as a service (PaaS) that integrates a metadata-driven, no-code solution with the world’s only end-to-end global life sciences supply chain network, delivering superior business outcomes by optimizing complex mutlienterprise processes to enhance operational efficiency, mitigate risks, enable informed decision-making, and strengthen overall supply chain agility and resilience.

View More

© TraceLink Inc. 2009 - 2025 All Rights Reserved



The OPUS Platform’s Metadata-Driven, No-Code Solutions

OPUS Solution Designers can create solutions on the OPUS Platform without being data modelers or developers, but understanding core modeling constructs and the benefits of the OPUS approach is beneficial before using the OPUS Solution Environment (OSE).
View More

© TraceLink Inc. 2009 - 2025 All Rights Reserved



Get Started Designing on the OPUS Platform With OPUS Anthem

Anthem is TraceLink's Design System that establishes consistent design conventions across the OPUS Platform, allowing designers to quickly create solutions that meet various business and user needs.

View More


© TraceLink Inc. 2009 - 2025 All Rights Reserved



OPUS Solution Environment

A no-code, drag-and-drop environment that enables business users to tailor the workflows and user experiences of TraceLink solutions to the unique requirements of their supply chain without the need for specialized technical skills or extensive coding knowledge.
View More

© TraceLink Inc. 2009 - 2025 All Rights Reserved



Understanding Page Types within the OPUS Solution Environment (OSE)

Page types enable Solution Designers to efficiently create user-friendly pages using a drag-and-drop interface, allowing them to organize information for optimal usability.
View More

© TraceLink Inc. 2009 - 2025 All Rights Reserved



UX Writing and Terminology

The goal is to create UI text that is clear and concise, offering users the essential information they need to effectively complete their tasks.
View More

© TraceLink Inc. 2009 - 2025 All Rights Reserved