ÌQ.

TRACELINK UNIVERSITY

Home Resources TraceLink University

Define and Design View/Edit Pages



Overview, Layout, and Configuration Guide

Overview

Users view existing instances of object instances using a View/Edit page in view mode. To edit data in the object instance, the user switches to edit mode. The page contains the following elements in both view and edit modes:

- 1. Page title
- 2. Assistive text
- 3. Object operations toolbar
- 4. Collection operations toolbar
- 5. Workflow progress indicator bar
- 6. One or more form sections which contain either:
 - $\circ\,$ Simple fields and groups
 - A collections table
- 7. Push panel for collection operations New and Edit

Layout



Sample View Screen (User)

Default View

						(୭ 🗘 🖉 🗖 🖉 ୪
MNT - Gobal Supplier 1	iet. ×						
	Global Suppler Network		• 🔒 All Teams			• 🕺 !	* *
ETransactions Business Transactions anufacturer - Customer Punchase Orders Punchase Order	View and edit purchase orders.		Processing	Processed	Propars To Sound	tending	
Acknowledgments	-						
Ship Notices	Order Information						
	PO Baudater* 26030213011 Payment Tenine By Days 14 Detung Tenic Cate BCO 1 Commung USD USD Line Reems			Order Trans 12 May 2024 Payment Tennis 5 Defining Tennis COD	By Parcentage		8
	Line	lten	Description	Quantity	Net Price	Delivery Date	Line Notes
	10	2340503	JANUMET SC/1000MG SISTAB	20000	11000	02 May 2024	Content
						Rows per page 100 - v	Showing 1.500 items C >

With View Collection Row Push Panel

	K Global	Supplier Network			Al Teams			• • • •	* <u>*</u>
Transactions) C	Purchase Order	Details					2 tor	View Details PREVIOUS NE
nufacturer - Customer	~ I	Draft	Submit	Processing	Processed	Prepare To Sond	Sending	Sent	A item information
Purchase Orders		· 0	0		0	0		0 '	Line 10 Rem
Inp Notices	ſ	6a Order Informatio	n		Poster Te	ing the Percentage			122246 Description JANUMET 50/1000MG 56TAU
		14 Delivery Term Code NCO 1			5 Dativery Ten COD	m Description			Unit Price 4.31 Net Price
		10 Rumber* 960320210011			Order Date 12 Mar 20	24			11,880 Quantity 2000
		Currency JSD 6b							Unit of Measure EA
		 Line Items 						17	Delivery Date 12 Apr 2024
		Line	Rem	Description	Quantity	Net Price	Delivery Date	Line Notes	Line Notes
		10	2342523	JANUMET SIL/1000MG S6TAB	20000	11000	02.May 2024	Content	As we discussed in the call in this item in requested dates.

Sample Edit Screen (User)

Default View



Kendall Pharmaceuticals	8					(9 9 <i>8</i> 🐴 🖉 V
	bal Supplier Network		• Al Team	1		• 😐	≏ *
All Transactions ~	Purchase Order De	tails				+ - 55	+ New © Vew © See
Manufacturer - Customer 🤍 💛 Punchese Orders	0		Processing		Prepare To Send		0
Purchase Order Acknowledgments Ship Notices		Move To					
Involues	Order Information			Order Sete			
	290220210011 Payment Terms By Days			12 Mar 20 Payment Terr	124 na By Percentage		8
	м			5			
	INCO 1			COD	Description		
	Currency USD			x. v			
	Line Items						+ - 00
	Line	han	Description	Quantity	Net Price	Delivery Date	Line Notes
	10	2342323	JANUMET SO/1000ARD S61AB	20000	11000	02 May 2024 Rows per page 100 ~	Content Showing 1-100 items 4 >

With New Collection Row Push Panel

212 National actional actionactional actional actional actional actional actional a	48	080	O							ruticals	Kendall Pharmaceu	
Al finesardies beiness finesardies beiness finesardies beiness finesardies beines finesardies beines finesardies beines finesardie beines f		e *	• 00 4			 Al Teams 			bal Suppler Network	k ou	III WANT-GODEN SAD	
but but but Presenting Presenting Presenting Bandary <t< th=""><th>APP</th><th>Nvo Line Item</th><th>© Vew D Save</th><th>- 🗊 🗊 🕂 Ne</th><th>+ -</th><th></th><th></th><th>er Details</th><th>Purchase Orde</th><th>ی ۲</th><th>All Transactions Business Transactions</th></t<>	APP	Nvo Line Item	© Vew D Save	- 🗊 🗊 🕂 Ne	+ -			er Details	Purchase Orde	ی ۲	All Transactions Business Transactions	
Purchase Dolls Purchase Dolls Robers Purchase Dolls Purchase Doll	nation	✓ iten informatio	feet	Sending	Propare To Send	Processed	Processing	Submit	Druft	÷	Manufacturer - Customer	
Packanowing Dep Roine Roines Packanowing Packanowing <tr< td=""><td></td><td>Lite</td><td>0</td><td></td><td></td><td></td><td></td><td></td><td>0</td><td></td><td>Purchase Orders</td></tr<>		Lite	0						0		Purchase Orders	
Anticipation of the second		Placeholder text						Move To			Purchase Order	
Option Signation Parent loss 82 Provide la formation											Adenderiedgenerics	
Payment herms ig hores ig as Payment herms ig horms ig horms ig horms ig hores ig ho		Option						ion	Order Informatic		Shp Notions	
Paperte formation Paperte formation 14 5 Sationsy form formation Sationsy form formation MCO 1 COO Production COO Production Cool		Description.				_			Involut			
in <	ind.	Placeholder text		5				Payment Terms By Days				
Dutery ten line Defense frame MOD 1 000 P3 tuning* 000		Unit Price				2						
MCD 1 COD P0 twention* Outer have 300000210011 12 Mar 2004 Owneray Image: Company of the second of t	inst.	Placeholder text			actificant.	Delivery here			Dalhary Tarm Code			
P2 thoulast Outer box 300020150011 12 Mar 2024 □ Generative 12 Mar 2024 □ Generative * - Mar * * Mar Generative -		Net Price				000			INC0 1			
20002120011 12 Mar 2024 □ 42 Mar 2024 12 Mar 2024 <td>ent.</td> <td>Placeholder text</td> <td></td> <td></td> <td></td> <td>Order Data</td> <td></td> <td></td> <td>PO Number*</td> <td></td> <td></td>	ent.	Placeholder text				Order Data			PO Number*			
Converse X X X X Particular to the standard of the		Guantity				12 Mar 2			260020210011			
K K	inst.	Placeholder text							Currency			
Line Items + - D Cption Use Nam Description Quarkity Nat Price Delivery Date Use Notes D Down VVVV Via Delivery Date Use Notes D		Unit of Measure				$ \mathbf{x} =$			100			
		Option										
Line Hem Description Quarkity Nat Price Delivery Date Line Holes Vis Table 57 Str. Solidati 2000 1000 01000 01000 0000 0000 0000 0000 0000 0000 00000 0000		Delivery Date	+ - 0.0						 Line Items 			
No. 2141573 HALART REVAILED 2000 1100 07 Hala 2014 County County	11	DO Mean YYYY	Line Notes	Delivery Date	Net Price	Quantity	Description	Rett	Line			
10 ADDRESS		Line Notes	Content	02 May 2024	11000	20000	JANUMET S0/1000MG	2342523	10			
20140 Pachdate te	level.	Placeholder levt					30140					

With Edit Collection Row Push Panel



Kendall Pharmaceuticals	2							C	Ð) # @ &~
x =	bal Supplier Network			All Team	-			• 😐 I	۰	*
All Transactions	Purchase Order	Details				+	- 07 (17) + Nex	r © View 🖹 Sove	ľ	An Line Item
Manufacturer - Customer	Draft	Submit	Processing	Proce	read	Propane To Sand	Sanding	feet	ן ר	w item information
Purchase Orders	0)—			0	U	ine .
Purchase Order		Move To								10
Acknowledgments	_								1	
prep honores	Order Information	1							וור	123246 ×
199001	Pi Barbar				Coder Data					nuclption
	260320210011				12 Mar 20	24			111	JANUMET S0/1000MG SISTAB
										nit Price
	Papenent Serma By Days				Payment Term	a By Percentage			10	4.31
										at Price
	Delivery Term Code				Delivery Term	Description			, 10	11,000
	INCO 1				COD				9	sarity
	Currency								10	2000
	60			x v					0	nit of Measure
	-									EA, X V
	 Line Items 							+ - 0 0		alivery Data
	Line	Rem.	Description	Quantity		Net Price	Delivery Date	Line Notes		12 Apr 2024
	10	2342523	JANUMET SS/1000MG	20000		11000	02 May 2024	Content		ine Notes
			2010/0			Rows	per page 100 🗸 Show	ng1-100 items C >	JL	As we discussed in the call I need this item in requested date.

Sample View/Edit Screen (Solution Designer)

tracelink

tracelink								0 9 <i>P</i>	🙆 🏀 🗸
Solution Designer	×								
Catalon V)		G	12 13 13 13	8 🛛 🖓	5 8 8 × R	Page Properties	s 🔲 Panels 🕲 Vie	w 🖪 Save
Standard Solutions							4		3
Marketplace Solutions	Purchase Order D	etails					+ - 5 5	+ New © View	11 Save
Company Solutions	View and edit purchase orders					5			
Available ~			0	raft		Submit			
Primary Object Types						-0			
Solutions						Move To			
Solution ~	 Order Information 								
New Pages	PO Number*				Order Date				
Search Pages	260320210011				DD Mmm YY	CY.			-
View Edit Pages	Belivery Term Code				Delivery Term Des	cription			
Menus	Placeholder text (optional)				Placeholder t	ext (optional)			
Roles	Payment Terms By Days				Payment Terms B	Percentage			
Policies	Placeholder text (optional)				Type a numbe	H			
	Currency								
	USD ~ \$ 1000								
	6b	-							
	 Customer and Supplie 	ſ							
	Customer				Supplier				
	Placeholder text (optional)				Placeholder				
	Address Line 1				Address Line 1				
	Placeholder text (optional)				Placeholder				
	Address Line 7				Address Line 7				
	Placeholder text (optional)				Placeholder	wet (optional)			
	Presta				Parata				
	Placeholder text (optional)				Placeholder				
	State				State				
	Placeholder text (optional)				Placeholder	text (optional)			
	City				City				
	Placeholder text (optional)				Placeholder	cort (optional)			
	Centact Telephone Number				Cawtact Telephor	e Number			
	Placeholder text (optional)				Placeholder	wrt (optional)			
	Party ID Type				Party ID Type				
	Option			~	Option				~
	Party ID Value				Party ID Value				
	Placeholder text (optional)				Placeholder	ievi (optional)			
	60				L				
	✓ Notes								+ -
	Comment								
	Late delivery. Part of the produ	ts will be delivered on August 10th.							
	Comment								
	Placeholder text (optional)								
	64								
	 Line Items 							+	- 6 6
	Line	Item	Description	11 Quantity		Net Price	Delivery Date	Comment	
	Cell text	Cell text	7 Cell text	Celltext		Cell text	Cell text	Cell text	
	Cell text	Cell text	Cell text	Celltext		Cell text	Cell text	Cell text	
	Cell text	Cell text	Cell text	Cell text		Cell text	Cell text	Cell text	
	Cell text	Cell text	∲ Celltest	Cell text		Cell text	Cell text	Cell text	1
	- Jan 1877	Server 1893	A context	C4011003		SHI HH	Bress processo and	Di v Showing 1,101 -	
							nows by bells	anowing 1-100 ben	~ ~ /



Configuration

Page Title

The page title shows the page's title. The convention is that the value is the object type followed by the word "Details" (e.g. Purchase Order Details).

Contents

Data Type	Value	Example
Static Text	[Object Type] Details	Purchase Order Details

Information for Solution Designers

The page title is a required element that cannot be removed from the page.

Design Conventions

Page title is "[Object Type] Details" (e.g. "Purchase Order Details").

Configuration Options

Not applicable. The page title element's design cannot be modified.

Assistive Text

The assistive text is instructional content for the end user. The assistive text is set by the Solution Designer.

Data Type	Value	Example
Static Text	[Set by Solution Designer]	The purchase order's information is displayed below. To update any of the purchase order's data, select the Edit button.

Assistive text should always be displayed on Search pages.

Design Conventions

Property	Convention
Text length	No more than 100 characters.
Writing style	Adheres to the OPUS Writing Guidelines

Configuration Options

Property	Parameter	Option	Description
Hidden	On/Off	Off (default)	The page instructions are visible (i.e. not hidden).
		On	The page instructions are hidden.

Object Operations Toolbar

The buttons in the object operations toolbar apply to the page or main object, as opposed to the buttons on the collections toolbar, which apply to collections inside the page. The toolbar buttons described below are available on View/Edit pages. As noted, some buttons are only available in View mode and some are only available in Edit mode.

Element	Туре	Page Mode(s)	Description
			Selecting this
Edit			button
	Toolbar	View	transitions
	Button		the page from
			view mode to
			edit mode.



Element	Туре	Page Mode(s)	Description
			Selecting this
			poulion
			the New nade
			for the object
New	Toolbar	View and Edit	type If the
	Button		user was in
			edit mode
			any unsaved
			changes will
			be lost.
			Selecting this
			button
			transitions
			the page from
View	Toolbar		edit mode
	Button		back to view
			mode. Any
			unsaved
			changes will
			be lost.
			Selecting this
			button does
			the following:
			• Validates
			the user's
			entries (i.e.
			ensures that
			all required
			neids nave
			values).
			• If Validation
Carro	Toolbar		pass, the user
Save	Button		sees a
			orror
			snackhar
			• If validation
			succeeds the
			new ohiert
			instance is
			created and
			the user is
			navigated
			back to the
			object Search
			page.



Design Conventions

Not applicable. The object operations toolbar design cannot be modified.

Configuration Options

Applies To	Property	Parameter	Values	Description
Toolbar	olbar Hidden	Off/On	Off (default)	The toolbar is visible (i.e. not hidden).
			On	The toolbar is hidden.
Toolbar Button	Hidden	Off/On	Off (default)	The button is visible (i.e. not hidden).
			On	The button is hidden.

Collection Operations Toolbar

The collection operations toolbar contains actions that apply to collections within the object instance. Collections are a type of data element that can have multiple values within a particular object instance. For example, a collection of transaction IDs contains all transaction IDs that apply to a single Purchase Order. The collection operations toolbar appears at the top of View/Edit pages and above each collection table.

Element	Туре	Description
View	Toolbar Button	Selecting this button opens the View Details collection row push panel with data from the selected row in the active collection table. This button is only enabled if a row is selected.
New	Toolbar Button	Selecting this button opens the New collection row push panel.
Edit	Toolbar Button	Selecting this button opens the Edit collection row push panel with data from the selected row in the active collection table. This button is only enabled if a row is selected.



Element	Туре	Description
Remove	Toolbar Button	Selecting this button removes the selected row from the active collection table. This button is only enabled if a row is selected.

Design Conventions

Not applicable. The collection operations toolbar design cannot be modified.

Configuration Options

Applies To	Property	Parameter	Values	Description
Toolbar Hidden	Hidden	Off/On	Off (default)	The toolbar is visible (i.e. not hidden)
			On	The toolbar is hidden.
Toolbar Button	Hidden	Off/On	Off (default)	The button is visible (i.e. not hidden).
			On	The button is hidden.

Progress Indicator

The progress indicator is an optional component that illustrates the state of the object instance. This is particularly useful for objects that go through a workflow. For example, a Purchase Order object may go from "To Do" (i.e. not started) to "In Progress" to "Done."

Element	Sub Element	Туре	Description
Active State	State Name	Text	The name of the state (e.g. "To Do," "In Progress"). Configurable by the Solution Designer.
	State Icon	lcon	Indicates the state is active.
Non-active State	State Name	Text	The name of the state (e.g. "To Do," "In Progress"). Configurable by the Solution Designer.
	State Icon	lcon	Indicates the state is not active.

Design Conventions

Property	Convention
First state name (i.e. the initial state of the object)	Use "To Do"
Last state name (i.e. the state of the object when the workflow is completed)	Use "Done"

Configuration Options

Applies To	Property	Values	Description
Progress Indicator	Hidden	Off (default)	The indicator is visible (i.e. not hidden)
		On	The indicator is hidden.
Progress Indicator	Number of states	Number	The number of states in the workflow.
State	State Name	Text	The name of the workflow state to display.

Form Section

A form section contains a form header and either:

- A combination of simple fields (e.g. Name, ID) and groups (a predefined set of logically connected fields)
- A collections table (described in the Collections Table section)

Contents

Element	Туре	Description
Section Name	Text	The name of the section.
Section Inputs	Simple fields and groups or Collections table	A section can contain a combination of simple fields and groups or a single collections table. A collections table cannot be mixed with other inputs.

Information for Solution Designers

Design Conventions

Property	Conventions
Section Layout Columns	Fields inside TraceLink form groups can either appear in a one-column layout (with long fields) or a two-column layout (with shorter fields).
Section Name	Use descriptive nouns for group names (e.g. "Shipping Address"). Do not include verbs in the section name. If the page has only one section, hide the section name because it will be redundant with the page title.
Section Fields and Groups	 Each section should contain logically connected fields and groups. The best practice is to have between 3 and 8 fields per section. If a section has fewer than 3 fields, consider merging it into another section, if they can be logically combined. If a section has more than 8 fields, consider splitting it into separate sections, if they can be logically separated.

Configuration Options

Applies To	Property	Parameter	Values	Description
Section Header	Hidden	Off/On	Off (default)	The header is visible (i.e. not hidden).
			On	The header is hidden.
Section Header	Collapse C	Off/On	On (default)	The section can be collapsed and expanded. The corresponding icons are present.
			Off	The section cannot be collapsed and expanded. The corresponding icons are not present.

Collection Table

A collection is a particular data element that can have multiple values within a particular object instance. For example, a Purchase Order object instance might have multiple transaction IDs, thus transaction IDs are a collection inside the Purchase Order object. Each collection inside an object is displayed in its own collections table.

Element	Туре	Description
Table Fields	Field List	The ordered set of fields contained in the table.



Element	Туре	Description
Table Field	Text, Select List, or Date/Time	An individual field for entering data to an item in the collection.

Design Conventions

Property	Convention
Field Order	Key fields that help identify a particular row (e.g. Name, ID) should appear first (leftmost). Fields that are less likely to be used to identify a row (e.g. Date, Description) should appear after the key fields.

Configuration Options

Not applicable. The collection table design cannot be modified.

View Collection Row Push Panel

The View Collection Row Details push panel (accessed by selecting the View Details icon on the Collection Toolbar when a row in an active collections table is selected) provides a means for users to view all the data in a particular collection row. This component is only accessible when the screen is in View mode.

Area	Element	Description
	Push Panel Title	"View Details" static text.
Header	Previous Button	Shows the details for the previous collection row in the table.
	Next Button	Shows the details for the next collection in the table.
Close Button	Selecting this button closes the push panel.	
Push Panel Content	Field List	All fields that are displayed in the push panel. The fields that appear here can be set in the OPUS Solution Environment (OSE).
	Field (inside Field List)	The label and corresponding data entry field.

Design Conventions

Property	Convention		
Field List	The push panel should contain the same fields that are in the collection table.		
Field List Order	The order of the fields in the push panel should match the order of the fields in the corresponding collection table.		

Configuration Options

The user sets the push panel field contents per the above conventions.

New Collection Row Push Panel

The New Collection Row push panel (accessed by selecting the New icon on the Collection Toolbar when a collections table is active) provides a means for users to add a new data row to a collection.

Contents

Area	Element	Description
	Push Panel Title	"New" static text.
Header	Apply Button	 Validates the user's entries (e.g. ensures values supplied for all required fields) and then: If validation fails, TraceLink shows the corresponding error message. If validation passes, TraceLink adds the row to the collection table.
	Close Button	Selecting this button closes the push panel.
Push Panel	Field List	All fields that are displayed in the push panel. The fields that appear here can be set in the OPUS Solution Environment (OSE).
Content	Field (inside Field List)	The label and corresponding data entry field.

Information for Solution Designers

Design Conventions



Property	Convention		
Field List	The push panel should contain the same fields that are in the collection table.		
Field List Order	The order of the fields in the push panel should match the order of the fields in the corresponding collection table.		

Configuration Options

The user sets the push panel field contents per the above conventions.

Edit Collection Row Push Panel

The Edit Collection Row Details push panel (accessed by selecting the Edit icon on the Collection Toolbar when a row in an active collections table is selected) provides a means for users to edit a row in a collection.

Contents

Area	Element	Description
	Push Panel Title	"Edit" static text.
Header	Apply Button	 Validates the user's entries (e.g. ensures values supplied for all required fields) and then: If validation fails, TraceLink shows the corresponding error message. If validation passes, TraceLink updates the row in the collections table with the values that were entered in the push panel.
	Close Button	Selecting this button closes the push panel.
Push Panel Content	Field List	All fields that are displayed in the push panel. The fields that appear here can be set in the OPUS Solution Environment (OSE).
	Field (inside Field List)	The label and corresponding data entry field.

Information for Solution Designers

Design Conventions



Property	Convention		
Field List	The push panel should contain the same fields that are in the collection table.		
Field List Order	The order of the fields in the push panel should match the order of the fields in the corresponding collection table.		

Configuration Options

The user sets the push panel field contents per the above conventions.

TraceLink University



API Reference



Courses



Design Guides



Explainer Videos



FAQs



Fundamentals





How-tos



Technical Tools



Troubleshooting



Use Cases

Related Content

MINT - Global Supplier N	et × SCWM - Global An	imal Hea × Settings	
🔆 Global Su	pplier Network	•	🏩 Mu
Manufacturing - Customer 🗸 🗸	Search Purchase	Orders sent by Silva Pharmacy to supp	liers.
Purchase Orders	PO Number	Transaction Status	S
Purchase Order Acknowledgments	260320210011	Delivered	AI
Shipr ent Notifictaion	260320210012	Inbound	G
Invoices	260320210017	Delivered	Al
Remisance Advice	260320210024	Inbound	Al
Forec ast Plan	260320210057	Delivered	G
	260320210089	Delivered	A

Understanding Page Types within the OPUS Solution Environment (OSE)

Page types enable Solution Designers to efficiently create user-friendly pages using a dragand-drop interface, allowing them to organize information for optimal usability.



View More



Define and Design Search Pages

Search pages enable users to view, search for, and create new object instances, typically serving as the landing page when navigating to a solution, except when only one instance exists (like the Profile page in Settings), in which case the user is directed to the View/Edit page.





Define and Design New Pages

The New page allows users to create new instances of application objects and includes various essential elements for the process. **View More**





Define and Design Workflows

This guidance outlines essential practices for designing effective workflows that enhance efficiency and flexibility in business processes, focusing on primary objects to help OPUS Solution Designers create impactful solutions.





Design Considerations With Roles and Policies

User access in a solution is managed through permissions, roles, and policies: permissions define specific actions, roles group these permissions for streamlined access, and policies enforce the logic that determines what users can do, ensuring data protection and security compliance.





Get Started Designing on the OPUS Platform With OPUS Anthem

Anthem is TraceLink's Design System that establishes consistent design conventions across the OPUS Platform, allowing designers to quickly create solutions that meet various business and user needs.