



TRACELINK UNIVERSITY

Home

Resources

TraceLink University

Purchase orders (IDoc)

Purchase orders allow companies to exchange data about requests to purchase goods and services with upstream and downstream supply chain trade partners without giving these trade partners access to their serialization system of record. These purchase orders can be used to request specific products and quantities from their Partners and confirm that partners have the requested product and quantities on hand and intend to fulfill the request via a purchase order acknowledgment.

The Purchase Orders (POs) IDoc message sends a request and commitment from the buyer to pay the seller for the sale of specific products or services to be delivered in the future.



These guidelines are unofficial and may not necessarily list all message formatting and element requirements. Contact your TraceLink Services representative for more information about integrating with this message.

- **Message Type:** MPC_PURCHASE_ORDER (Purchase Order)
- **IDoc Format:** ORDERS05
- **Transform Names:**
 - B2B_IDoc_ORDERS05_PurchaseOrder_IB_V7
 - B2B_IDoc_ORDERS05_PurchaseOrder_OB_V10

Guidelines

Element	Occurs	Length	Description	Example
ORDERS05	1..1	-	Required. XML Idoc ORDERS05 root element.	-
IDOC	1..1	-	Required. Idoc root.	-
@BEGIN	1..1	0*	Required. Begin of message attribute.	1
EDI_DC40	1..1	-	Required. Idoc Control record.	1
ISEGMENT	1..1	0*	Required. Begin of segment attribute.	1
TABNAM	1..1	0*	Required. Idoc table name.	EDI_DC40
MANDT	1..1	0/3	Required. Client.	300
DOCNUM	0..1	0/16	Required. Idoc control number mapping to fileControlNumber.	000000134206118
DOCREL	0..1	0/4	Doc version/receiver number.	729
STATUS	0..1	0/2	Current Idoc processing status.	30
DIRECT	0..1	0*	Direction.	1
OUTMOD	0..1	0/1	Output mode.	2
ERRSIS	0..1	0/1	Overriding in inbound processing.	-
TEST	0..1	0/1	Test flag.	-
CMTYP	0..1	0/30	Name of extension type.	-
IDCTYP	1..1	0*	Required. Idoc basic type.	ORDERS05
MESTYP	1..1	0*	Required. Logical message type.	ORDERS
MESCOD	0..1	0/3	Logical message code.	-
MESFCT	0..1	0/3	Logical message function.	-
STD	0..1	0/1	EDI standard.	X
STDVRS	0..1	0/6	Version of EDI standard.	05010
STDMES	0..1	0/6	EDI message type.	850
SNDPOR	1..1	1/10	Required. Sender port.	SAPERP
SNDPRT	1..1	1/2	Required. Partner type of sender.	LS
SNDPFC	0..1	0/2	Partner function of sender.	-
SNDPRN	1..1	1/10	Required. Partner number of sender.	ERPCLNT300
SNDSAD	0..1	0/21	Sender address (SADR).	-
SNDLAD	1..1	1/70	Required. Logical address of sender. Identifies the Idoc sender for the Tracelink system. Must match the primary identifier value that the sender has configured for themselves in Tracelink master data. If no party type is sent, Tracelink assumes that the value is the internal party identifier in the sender's SAP system. Sender can also use a GLN, DUNS or any other party type standard listed in code list CL_LocationIdentifierType. If sender identifier is a GLN or any other identifier type in code list CL_LocationIdentifierType, the party type must be included in the SNDLAD value separated from the identifier with a colon (:) character, for example: GLN:00123456789106 Valid Values • AM_TIN - Armenia Taxpayer Identification Number. • AR_CUIT - Argentina Tax ID. • BR_CNES - Brazil National Registry of Health Facilities Number. • BR_CNPJ - Brazil Tax or Legal Entity ID. • BR_CPF - Brazil Individual Taxpayer Registration Number. • BR_PROF_REG - Brazil Professional Registration Number. • BY_TIN - Belarus Taxpayer Identification Number. • CN_CHINA_ID - China Identifier (alphanumeric). • CN_FOREIGN_MAH - China Foreign MAH ID. • CN_FOREIGN_MFR - China Foreign Manufacturer ID. • CN_USCID - China Unified Social Credit Identifier. • DE_ITA_REG_NUM - Informationsstelle für Arzneispezialitäten (IFA) Registration Number. • DEA - US Drug Enforcement Agency Number. • DUNS - Dunn and Bradstreet Number. • DUNSA - Dunn and Bradstreet Number with 4 digit extension. • ECP - GS1 Global Company Prefix. • GLN - Global Location Number. • HIN - Health Industry Number assigned by HIBC. • ID_BPM FACILITYID - Indonesia BPM facility Identifier. • IN_COMPANY_ID - India Company ID. • IN_GSTN - India Goods and Services Tax ID. • IN_IETC - India Importer Exporter Code. • IN_LOCATION_ID - India Location ID. • IN_MFR - India Manufacturing Code. • IN_MRCH - India Merchant Exporter Code. • IN_PAN - India Permanent Account Number. • IN_TIN - India Taxpayer Identification Number. • KG_TIN - Kyrgyzstan Taxpayer Identification Number. • KR_BUS_REG_NUMBER - South Korea Corporate Registration Number. • KR_PROVIDER_CODE - South Korea Provider Code. • KZ_BIN - Kazakhstan Business Identification Number. • RU_ACCOUNT_NUMBER - Russia Account Number. • RU_TIN_FOREIGN_ENTITY - Russia Foreign Business Taxpayer Identification Number. • RU_TIN_INDIV - Russia Individual Taxpayer Identification Number. • RU_TIN_KPP_TAX_CODE - Russia KPP Registration Code. • RU_TIN_LOCAL_ENTITY - Russia Local Business Taxpayer Identification Number. • SGLN - SGLN format representation of Global Location Number. • TRACELINK_ID - Tracelink Identification Number. • UZ_TIN - Uzbekistan Taxpayer Identification Number.	0010135941923
RCVPOR	1..1	1/10	Required. SAP receiver port.	TRACELINK
RCVPT	1..1	1/2	Required. Partner type of receiver.	LS
RCVFC	0..1	0/2	Partner function of receiver.	-
RCVPRN	1..1	1/10	Required. Partner number of receiver.	TRACELINK
RCVSAD	0..1	0/21	Receiver address (SADR).	-
RCVLAD	1..1	1/70	Required. Logical address of receiver. Required for Tracelink. Identifies the Idoc receiver for the Tracelink system. Must match the primary identifier value that the sender has configured for their receiver in Tracelink master data. If no party type is sent, Tracelink assumes that the value is a party identifier for the receiver in the sender's SAP system. Sender can also use a GLN, DUNS or any other party type standard listed in code list CL_LocationIdentifierType. If the receiver identifier is a GLN or any other identifier type in code list CL_LocationIdentifierType, the type must be included in the RCVLAD value separated from the identifier with a colon (:) character, for example: GLN:00123456789106 Valid Values • AM_TIN - Armenia Taxpayer Identification Number. • AR_CUIT - Argentina Tax ID. • BR_CNES - Brazil National Registry of Health Facilities Number. • BR_CNPJ - Brazil Tax or Legal Entity ID. • BR_CPF - Brazil Individual Taxpayer Registration Number. • BR_PROF_REG - Brazil Professional Registration Number. • BY_TIN - Belarus Taxpayer Identification Number. • CN_CHINA_ID - China Identifier (alphanumeric). • CN_FOREIGN_MAH - China Foreign MAH ID. • CN_FOREIGN_MFR - China Foreign Manufacturer ID. • CN_USCID - China Unified Social Credit Identifier. • DE_ITA_REG_NUM - Informationsstelle für Arzneispezialitäten (IFA) Registration Number. • DEA - US Drug Enforcement Agency Number. • DUNS - Dunn and Bradstreet Number. • DUNSA - Dunn and Bradstreet Number with 4 digit extension. • ECP - GS1 Global Company Prefix. • GLN - Global Location Number. • HIN - Health Industry Number assigned by HIBC. • ID_BPM FACILITYID - Indonesia BPM facility Identifier. • IN_COMPANY_ID - India Company ID. • IN_GSTN - India Goods and Services Tax ID. • IN_IETC - India Importer Exporter Code. • IN_LOCATION_ID - India Location ID. • IN_MFR - India Manufacturing Code. • IN_MRCH - India Merchant Exporter Code. • IN_PAN - India Permanent Account Number. • IN_TIN - India Taxpayer Identification Number. • KG_TIN - Kyrgyzstan Taxpayer Identification Number. • KR_BUS_REG_NUMBER - South Korea Corporate Registration Number. • KR_PROVIDER_CODE - South Korea Provider Code. • KZ_BIN - Kazakhstan Business Identification Number. • RU_ACCOUNT_NUMBER - Russia Account Number. • RU_TIN_FOREIGN_ENTITY - Russia Foreign Business Taxpayer Identification Number. • RU_TIN_INDIV - Russia Individual Taxpayer Identification Number. • RU_TIN_KPP_TAX_CODE - Russia KPP Registration Code. • RU_TIN_LOCAL_ENTITY - Russia Local Business Taxpayer Identification Number. • SGLN - SGLN format representation of Global Location Number. • TRACELINK_ID - Tracelink Identification Number. • UZ_TIN - Uzbekistan Taxpayer Identification Number.	0030135941894
CREDAT	0..1	0/8	Required. Date Idoc was created.	20110118
CRETIM	0..1	0/6	Required. Time Idoc was created.	161010
REFINT	0..1	0/14	Reference to interchange file.	-
REFGRP	0..1	0/14	Reference to message group.	-
REFMES	0..1	0/14	Reference to message.	-
ARCKEY	0..1	0/70	EDI archive key.	-
SERIAL	0..1	0/20	EDI/ULE Serialization field.	-
ELENO1	1..1	-	Required. Header record.	-
ISEGMENT	1..1	0*	Required. Begin of segment attribute.	1
ACTION	0..1	1/3	Action code for the whole EDI message. Valid values: • 000 - No particular action required • 001 - Reverse entire document • 002 - Changes in document header Flag: order acknowledgment required.	000
KZABS	0..1	0/1	Valid values: • K - true • Missing or not populated - false	-

Element	Occurs	Length	Description	Example
CURCY	0..1	03	<p>Currency.</p> <ul style="list-style-type: none"> • ADP - Andoran peseta • AED - United Arab Emirates Dirham • AFN - Afghan • ALL - Albanian Lek • AMD - Armenian Dram • ANG - West Indian Guilder • AOA - Angolan Kwanza • AON - Angolan New Kwanza • AOR - Angolan Kwanza Reajustado • ARS - Argentinian Austral • ARS - Argentinian pesos • ATS - Austrian Schilling • AUD - Australian Dollar • AWG - Aruban Guilder • AZN - Azerbaijan Manat • BAD - Bosnia Herzegovinian Dinar • BAM - Bosnia and Herzegovina Convertible Mark • BBD - Barbados Dollar • BOT - Bangladesh Taka • BEF - Belgian Franc • BGL - Bulgarian Lev • BGN - Bulgarian Lev • BHD - Bahrain Dinar • BIF - Burundi Franc • BMD - Bermudian Dollar • BND - Brunei Dollar • BOB - Bolivian peso • BRC - Brazilian Real • BRL - Brazilian Real • BSD - Bahaman Dollar • BTN - Bhutan Ngultrum • BWP - Botswana Pula • BYB - Belorussian Ruble • BYR - Belorussian Ruble • BZD - Belize Dollar • CAD - Canadian Dollar • CCF - Congolese Franc • CHF - Swiss Franc • CLP - Chilean Peso • CNY - Chinese Renminbi Yuan • CNY - Chinese Renminbi Yuan • COP - Columbian Peso • CRC - Costa Rica Colon • CUP - Cuban Peso • CVE - Cape Verde Escudo • CYP - Cyprus Pound • CZK - Czech Krona • DEM - German Mark • DJF - Djibouti Franc • DKK - Danish Krone • DOP - Dominican Peso • DZD - Algerian Dinar • ECS - Ecuador Sucre • EEK - Estonian Krone • EGP - Egyptian Pound • ERN - Eritrean Nakfa • ESP - Spanish Peseta • ETB - Ethiopian Birr • EUR - Euro (EMU currency as of 01/01/1999) • FIM - Finnish Mark • FJD - Fiji Dollar • FKP - Falkland Pound • FRF - French Franc • GBP - British Pound • GEL - Georgian Kupon • GEL - Georgian Lari • GHC - Ghanaian Cedi • GIP - Gibraltar Pound • GMD - Gambian Dalasi • GNF - Guinea Franc • GRD - Greek Drachma • GTQ - Guatemalan Quetzal • GWP - Guinea Peso • GYD - Guyanese Dollar • HKD - Hong Kong Dollar • HNL - Honduran Lempira • HRK - Croatian Kuna • HTG - Haitian Gourde • HUF - Hungarian Forint • IDR - Indonesian Rupiah • IEP - Irish Pound • IEP - American Dollar • ILS - Israeli Sheckel • INR - Indian Rupee • IQD - Iraqi Dinar • IRR - Iranian Rial • ISK - Iceland Krona • ITL - Italian Lira • JMD - Jamaican Dollar • JOD - Jordanian Dinar • JPY - Japanese Yen • KES - Kenyan Shilling • KGS - Kyrgyzstan Som • KHR - Cambodian Riel • KGS - Kirghistan Som • KMF - Comoros Franc • KPW - North Korean Won • KRW - South Korean Won • KWD - Kuwaiti Dinar • KYD - Cayman Dollar • KZT - Kazakhstan Temge • LAK - Laotian Kip • LBP - Lebanese Pound • LKR - Sri Lankan Rupee • LSD - Liberial Dollar • LSL - Lesotho Loti • LTL - Lithuanian Lita • LUF - Luxembourgian Franc • LVL - Latvian Lat • LYD - Libyan Dinar • MAD - Moroccan Dirham • MDL - Moldavian Lei • MGF - Madagascan Franc • MKD - Macedonian Denar • MRR - Myanmar Kyat • MNT - Mongolian Tugrik • MOP - Macao Pataca • MRO - Mauritanian Ouguiya • MTL - Maltese Lira • MUR - Mauritan Rupee • MUR - Maldiver Rufiyaa • MKK - Malawi Kwacha • MXN - Mexican Peso • MXP - Mexican Peso (old) • MYR - Malaysian Ringgit • MZN - Mozambique Metical • MAD - Namibian Dollar • NGN - Nigerian Naira • NLC - Nicaraguan Cordoba • NTD - Nicaraguan Cordoba Oro • NLG - Dutch Guilder • NOK - Norwegian Krone • NPR - Nepalese Rupee • NZD - New Zealand Dollars • OMR - Omani Rial • PAB - Panamanian Balboa • PEI - Peruvian Insi • PEN - Peruvian New Sol • PKR - Papua New Guinea Kina • PHP - Philippine Peso • PKR - Pakistani Rupee • PLN - Polish Zloty (new) • PLZ - Polish Zloty • PTE - Portuguese Escudo • PYG - Paraguayan Guarani • QAR - Qatar Riyal • ROL - Rumanian Lei • RON - Rumanian Lei - 2005 • RUB - Russian Ruble (old) • RUB - Russian Ruble • RWF - Rwanda Franc • SAR - Saudi Riyal • SBD - Solomon Islands Dollar • SCR - Seychelles Rupee • SDP - Sudanese Pound • SEK - Swedish Krona • SGD - Singapore Dollar • SHP - St.Helena Pound • SIT - Slovenian Tolar • SKK - Slovakian Krona • SLL - Leone • SOS - Somalian Shilling • SRG - Surinam Guilder • STD - Sao Tome e Principe Dobra • SUR - Russian Ruble (old) • SVC - El Salvador Colon • SYP - Syrian Pound • SZL - Swaziland Lilangeni • THB - Thailand Bhat • TJR - Tajikistani Ruble • TJS - Tajikistani Somoni • TMM - Turkmenistani Manat • TND - Tunisian Dinar • TOP - Tongan Pa'anga • TPE - Timor Escudo • TRY - Turkish Lira • TTD - Trinidad and Tobago Dollar • TND - New Taiwan Dollar • TZS - Tanzanian Shilling • UAH - Ukraine Hryvnia • UAK - Ukrainian Karbowanez • UGS - Ugandan Shilling • UGX - Ugandan Shilling • UNI - Universal Currency • USD - American Dollar • UYP - Uruguayian New Peso • UYU - Uruguayian Peso (new) • UZS - Uzbekistan Sum • VEB - Venezuelan Bolivar • VND - Vietnamese Dong • VUV - Vanuatu Vatu • WST - Samoan Tala • XAF - Gabon C.F.A Franc • XCD - East Caribbean Dollar • XCF - Benin C.F.A. Franc • XPF - French Franc (Pacific Islands) • XPF - CFP Franc • YER - Yemeni Ryal • YUD - New Yugoslavian Dinar • ZAR - South African Rand • ZMK - Zambian Kwacha • ZWL - Zairean new zaire • ZRZ - Zairean zaire • ZMW - Zimbabwean Dollar 	USD

Element	Occurs	Length	Description	Example
WKURS	0..1	0/12	Exchange rate.	
BSKRT	0..1	0/4	Document type.	ZNB
BELNR	0..1	1/35	Purchase Order number.	0196733288
E1EDK14	0..12	-	Organization or sales document data.	
§SEGMENT	1..1	0*	Required. Begin of segment attribute.	1
QUALF	0..1	1/3	IDOC qualifier organization. Valid values: • 006 - Division • 007 - Distribution Channel • 008 - Sales Organization • 009 - Purchasing Group: OB from customer system • 010 - Sales Group • 011 - Company Code • 014 - Purchasing Organization • 016 - Sales office.	014
DRIGD	0..1	1/35	IDOC organization.	CH40
E1EDK3	0..10	-	Document or milestone dates and times.	
§SEGMENT	1..1	0*	Required. Begin of segment attribute.	1
IDDAT	1..1	1/3	Required. Qualifier for IDOC date segment. Valid values: • 001 - Supplier Delivery Date • 002 - Requested Delivery Date • 011 - Issue/Message Date • 012 - Document Date • 023 - Purchase Order Date • 023 - Pricing Date.	012
DATUM	1..1	1/8	Required. IDOC Date.	20110117
LZETI	0..1	0/6	IDOC Time.	
E1EDK1	0..99	-	Required. Sold-to customer partner information instance of E1EDK1 where PARVV=AG. SAP always sends its own internal party identifiers in PARTN or LIFNR. It can send a GLN but it must be set up in master data. The GLN would appear in field E1EDK1-ILNRR. In the customer master, the GLN would be set up in the Control Data screen under General Data in fields Location no. 1, Location no. 2, and Check digit. In the vendor master, the GLN would be set up in the Control Data screen under General Data in fields Location no. 1, Location no. 2, and Check digit.	
§SEGMENT	1..1	0*	Required. Begin of segment attribute.	1
PARVV	1..1	0/3	Required. Partner type identifier. Valid values: • AG - Sold-to customer partner • LF - Supplier partner • WE - Ship-to partner • SP - Transportation carrier partner • BE - Bill to partner • EN - End customer business information	AG
PARTN	0..1	0/17	Conditionally required if LIFNR is not present. Sold-to customer number.	0001013694
LIFNR	0..1	0/17	Conditionally required if PARTN is not present. Alternate partner number.	
NAME1	0..1	0/35	Name 1.	Pharm1 Supplier
NAME2	0..1	0/35	Name 2.	
STRAS	0..1	0/35	Street and house number 1.	230 Houston St.
STRS2	0..1	0/35	Street and house number 2.	
ORT01	0..1	0/35	City.	Anytown
PSTL2	0..1	0/9	Postal code.	97003
LAND1	0..1	0/3	Country key.	US
TELE1	0..1	0/25	Contact telephone number.	
TELE2	0..1	0/25	Contact fax number.	
SPRAS	0..1	0/1	Language key.	E
ANRED	0..1	0/1	Form of address.	
WAUSE	0..1	0/15	House number.	
REGIO	0..1	0/3	Region code.	CA
BNAME	0..1	0/35	IDoc user name.	
PADRG	0..1	0/35	IDOC organization code.	
DRIGT	0..1	0/30	IDoc organization code text.	
PKGRJ	0..1	0/35	IDoc group code.	
ILNRR	0..1	0/70	International Location Number. Use to store GLN.	888888202867
SPRAS_ISO	0..1	0/2	ISO language code.	EN
TITLE	0..1	0/15	Title.	
E1EDK2	0..10	-	Document data.	
§SEGMENT	1..1	0*	Required. Begin of segment attribute.	1
QUALF	1..1	1/3	Required. Transaction identifier type. Purchase Order number is required. Valid values: • 001 - Customer Purchase Order. • 002 - Supplier sales order. • 003 - Customer inquiry. • 004 - Supplier quotation number. • 005 - Customer contract number. • 006 - Supplier contract number. • 010 - Message or document number.	001
BELNR	1..1	1/35	Required. Business document number.	0196733288
DATUM	0..1	0/8	Document date.	20110117
LZETI	0..1	0/6	Document time.	
E1EDK3	0..4	-	Delivery conditions.	
§SEGMENT	1..1	0*	Required. Begin of segment attribute.	1
QUALF	0..1	0/3	Required. IDOC qualifier organization. Valid values: • 001 - INCOTERMS part 1 • 002 - INCOTERMS part 2	001
LKOND	0..1	0/3	Purchase order delivery condition code.	
LTEXT	0..1	0/70	IDOC delivery condition text.	WHITBY
E1EDK3	0..3	-	Payment terms.	
§SEGMENT	1..1	0*	Required. Begin of segment attribute.	1
QUALF	0..1	0/3	Required. IDOC qualifier organization.	001
TAGE	0..1	0/8	IDOC Number of days.	14
PRZNT	0..1	0/8	Percentage for terms of payment.	3.00
ZTERM_TXT	0..1	0/70	Payment terms text.	
E1EDK1	0..99	-	Free-form Text Header.	
§SEGMENT	1..1	0*	Required. Begin of segment attribute.	1
TDID	1..1	1/4	Required. Text ID. Note: Expectation is that the value in source E1EDK1/TDID will be a different value for each group of free form text messages.	All codes *
TSSPRAS	0..1	0/3	Language key.	E
TSSPRAS_ISO	0..1	0/2	Language according to ISO 639.	EN
TDOSJECT	0..1	0/10	Texts application object.	V8BK
TDOSNAME	0..1	0/70	Name.	
E1EDK2	0..*	-	Free-form Text Records.	
§SEGMENT	1..1	0*	Required. Begin of segment attribute.	1
TDLINE	1..1	1/70	Required. Text line.	49000 BETACH RIKVA
TDFORMAT	0..1	0/2	Tag column.	*
E1EDP01	1..*	-	Required. E1EDP01 total order quantities.	
§SEGMENT	1..1	0*	Required. Begin of segment attribute.	1
POSEX	1..1	1/6	Required. Item number. Purpose of purchase order, item level. Element may appear at header or item level or both. Tells receiving system function of purchase. Valid values: • 000 - No action required. • 001 - Item added. • 002 - Item changed. • 003 - Item cancelled. • 005 - Item locked.	000010
ACTION	0..1	1/3	Item category.	001
PSTYP	0..1	1/1	Flag: order acknowledgment required at line item level. Valid values: • X - True • Missing or not populated - False	
KZABS	0..1	0/1	Flag: order acknowledgment required at line item level.	
MENGE	1..1	1/15	Required. Quantity.	25.000

Element	Occurs	Length	Description	Example
MENE	1..1	1/3	Required: Unit of measure. Valid values • 4G - Microliter • AM - Ampoule • AV - Capsule • BD - Bundle • BG - Bag • BO - Bottle • BX - Box • C3 - Centiliter • CA - Case • CC - Cubic Centimeter • CF - Cubic Feet • CG - Card, Blister • CI - Cubic Inches • CL - Cylinder • CM - Centimeter • CN - Can • CP - Crate • CQ - Cartridge • CR - Cubic Meters • CT - Carton • DA - Day • DI - Dispenser • DK - Kilometers • DL - Deciliter • DM - Decimeter • DR - Drum • DS - Display • DZ - Dozen • EA - Each • FO - Fluid Ounce • FT - Foot • GA - Gallon • GL - Gram/liter • GR - Gram • GS - Gross • H4 - Hectoliter • HF - Hundred Feet • HR - Hours • IN - Inch • K6 - Kiloliters • KG - Kilogram • KT - K2 • LB - Pounds • LF - Linear Foot • LO - Lot (unit of procurement) • LT - Liter • LY - Linear Yard • MC - Microgram • ME - Milligram • ML - Milliliter • MM - Millimeter • MO - Months • MR - Meter • OZ - Ounces • PC - Piece • PF - Pallet • PK - Package • PR - Pair • PT - Pint • QT - Quart • RL - Roll • SC - Square Centimeter • SF - Square Foot • SH - Sheet • SI - Square Inch • SM - Square Meter • ST - Set • SY - Square Yard • T3 - Thousand Pieces • TB - Tube • TH - Thousand • TY - Tray • U2 - Tablet • UM - Million • UN - Unit • V2 - Pouch • VI - Vial • WK - Week • YD - Yard • YR - Years	PCE
BMNG2	0..1	0/15	Quantity in price unit. Price unit of measure. Valid values • 4G - Microliter • AM - Ampoule • AV - Capsule • BD - Bundle • BG - Bag • BO - Bottle • BX - Box • C3 - Centiliter • CA - Case • CC - Cubic Centimeter • CF - Cubic Feet • CG - Card, Blister • CI - Cubic Inches • CL - Cylinder • CM - Centimeter • CN - Can • CP - Crate • CQ - Cartridge • CR - Cubic Meters • CT - Carton • DA - Day • DI - Dispenser • DK - Kilometers • DL - Deciliter • DM - Decimeter • DR - Drum • DS - Display • DZ - Dozen • EA - Each • FO - Fluid Ounce • FT - Foot • GA - Gallon • GL - Gram/liter • GR - Gram • GS - Gross • H4 - Hectoliter • HF - Hundred Feet • HR - Hours • IN - Inch • K6 - Kiloliters • KG - Kilogram • KT - K2 • LB - Pounds • LF - Linear Foot • LO - Lot (unit of procurement) • LT - Liter • LY - Linear Yard • MC - Microgram • ME - Milligram • ML - Milliliter • MM - Millimeter • MO - Months • MR - Meter • OZ - Ounces • PC - Piece • PF - Pallet • PK - Package • PR - Pair • PT - Pint • QT - Quart • RL - Roll • SC - Square Centimeter • SF - Square Foot • SH - Sheet • SI - Square Inch • SM - Square Meter • ST - Set • SY - Square Yard • T3 - Thousand Pieces • TB - Tube • TH - Thousand • TY - Tray • U2 - Tablet • UM - Million • UN - Unit • V2 - Pouch • VI - Vial • WK - Week • YD - Yard • YR - Years	35.000
PMENE	0..1	1/3	Quantity in price unit. Price unit of measure. Valid values • 4G - Microliter • AM - Ampoule • AV - Capsule • BD - Bundle • BG - Bag • BO - Bottle • BX - Box • C3 - Centiliter • CA - Case • CC - Cubic Centimeter • CF - Cubic Feet • CG - Card, Blister • CI - Cubic Inches • CL - Cylinder • CM - Centimeter • CN - Can • CP - Crate • CQ - Cartridge • CR - Cubic Meters • CT - Carton • DA - Day • DI - Dispenser • DK - Kilometers • DL - Deciliter • DM - Decimeter • DR - Drum • DS - Display • DZ - Dozen • EA - Each • FO - Fluid Ounce • FT - Foot • GA - Gallon • GL - Gram/liter • GR - Gram • GS - Gross • H4 - Hectoliter • HF - Hundred Feet • HR - Hours • IN - Inch • K6 - Kiloliters • KG - Kilogram • KT - K2 • LB - Pounds • LF - Linear Foot • LO - Lot (unit of procurement) • LT - Liter • LY - Linear Yard • MC - Microgram • ME - Milligram • ML - Milliliter • MM - Millimeter • MO - Months • MR - Meter • OZ - Ounces • PC - Piece • PF - Pallet • PK - Package • PR - Pair • PT - Pint • QT - Quart • RL - Roll • SC - Square Centimeter • SF - Square Foot • SH - Sheet • SI - Square Inch • SM - Square Meter • ST - Set • SY - Square Yard • T3 - Thousand Pieces • TB - Tube • TH - Thousand • TY - Tray • U2 - Tablet • UM - Million • UN - Unit • V2 - Pouch • VI - Vial • WK - Week • YD - Yard • YR - Years	PCE
VPREI	0..1	0/15	Price (net).	3560
PEINH	0..1	0/9	Price unit.	1
NETWR	0..1	0/18	Item value.	-
NTGEW	0..1	0/18	Net weight.	1000

Element	Occurs	Length	Description	Example
			Valid values <ul style="list-style-type: none"> • 4G - Microliter • AM - Ampoule • AV - Capsule • BD - Bundle • BG - Bag • BO - Bottle • BX - Box • C3 - Centiliter • CA - Case • CC - Cubic Centimeter • CF - Cubic Feet • CG - Card, Blister • CI - Cubic Inches • CL - Cylinder • CM - Centimeter • CN - Can • CP - Crate • CQ - Cartridge • CR - Cubic Meters • CT - Carton • DA - Day • DI - Dispenser • DK - Kilometers • DL - Deciliter • DM - Decimeter • DR - Drum • DS - Display • DZ - Dozen • EA - Each • FL - Fluid Ounce • FT - Foot • GA - Gallon • GL - Gram/liter • GR - Gram • GS - Goss • H4 - Hechtoliter • HF - Hundred Feet • HR - Hours • IN - Inch • K5 - Kiloliters • KG - Kilogram • KT - K2 • LB - Pounds • LF - Linear Foot • LO - Lot (unit of procurement) • LT - Liter • LY - Linear Yard • MC - Microgram • ME - Milligram • ML - Milliliter • MM - Millimeter • MO - Months • MR - Meter • OZ - Ounces • PC - Piece • PF - Pallet • PK - Package • PR - Pair • PT - Pint • QT - Quart • RL - Roll • SC - Square Centimeter • SF - Square Foot • SH - Sheet • SI - Square Inch • SM - Square Meter • ST - Set • SY - Square Yard • T3 - Thousand Pieces • TB - Tube • TH - Thousand • TY - Tray • UZ - Tablet • UN - Unit • V2 - Pouch • VZ - Vial • WK - Week • YD - Yard • YR - Years 	UN
			Valid values <ul style="list-style-type: none"> • 4G - Microliter • AM - Ampoule • AV - Capsule • BD - Bundle • BG - Bag • BO - Bottle • BX - Box • C3 - Centiliter • CA - Case • CC - Cubic Centimeter • CF - Cubic Feet • CG - Card, Blister • CI - Cubic Inches • CL - Cylinder • CM - Centimeter • CN - Can • CP - Crate • CQ - Cartridge • CR - Cubic Meters • CT - Carton • DA - Day • DI - Dispenser • DK - Kilometers • DL - Deciliter • DM - Decimeter • DR - Drum • DS - Display • DZ - Dozen • EA - Each • FL - Fluid Ounce • FT - Foot • GA - Gallon • GL - Gram/liter • GR - Gram • GS - Goss • H4 - Hechtoliter • HF - Hundred Feet • HR - Hours • IN - Inch • K5 - Kiloliters • KG - Kilogram • KT - K2 • LB - Pounds • LF - Linear Foot • LO - Lot (unit of procurement) • LT - Liter • LY - Linear Yard • MC - Microgram • ME - Milligram • ML - Milliliter • MM - Millimeter • MO - Months • MR - Meter • OZ - Ounces • PC - Piece • PF - Pallet • PK - Package • PR - Pair • PT - Pint • QT - Quart • RL - Roll • SC - Square Centimeter • SF - Square Foot • SH - Sheet • SI - Square Inch • SM - Square Meter • ST - Set • SY - Square Yard • T3 - Thousand Pieces • TB - Tube • TH - Thousand • TY - Tray • UZ - Tablet • UN - Unit • V2 - Pouch • VZ - Vial • WK - Week • YD - Yard • YR - Years 	
PREIS	0..1	0/18	Gross price.	
CURCY	0..1	0/3	Currency.	USD
MATKL	0..1	0/9	IDOC material class.	ZNV
JEPOS	0..1	0/6	Higher-level item in BOM structures.	
BPLUM	0..1	0/6	Denominator for conversion of order price unit into order unit.	1
BPLMZ	0..1	0/6	Numerator for conversion of order price unit into order unit.	1
ANTUF	0..1	0/1	Single-character flag.	
BRGEW	0..1	0/18	Total weight for ordered item.	1100
WERKS	0..1	0/4	Plant.	
LGORT	0..1	0/4	Storage location.	
E1EDP02	1..10	-	Document data at item level.	
	@SEGMENT	1..1	Required: Begin of segment attribute.	1
	QUALF	1..1	Required: Transaction identifier type. Purchase Order number is required. Valid values: <ul style="list-style-type: none"> • B01 - Customer Purchase Order. • B02 - Supplier sales order. • B03 - Customer inquiry. • B04 - Supplier quotation number. • B05 - Customer contract number. • B06 - Supplier contract number. • B10 - Message or document number. 	001
BELNR	1..1	1/35	Required: Business document number.	89000238
ZELE	0..1	0/6	Line item number.	000001
DATUM	0..1	0/8	Document date.	20110117
UZFIT	0..1	0/6	Document time.	
E1EDP03	0..10	-	Document or milestone dates and times at item level.	
	@SEGMENT	1..1	Required: Begin of segment attribute.	1
	IDDAT	0..1	Required: Qualifier for IDOC date segment. Valid values: <ul style="list-style-type: none"> • B01 - Supplier Delivery Date • B02 - Requested Delivery Date • B11 - Idoc/Message Date • B12 - Document Date • B22 - Purchase Order Date • B23 - Pricing Date 	002
DATUM	0..1	0/8	Required: IDOC: Date.	20110117
UZFIT	0..1	0/6	IDOC: Time.	
E1EDP20	1..*	-	Required: Scheduled delivery dates and quantities.	
	@SEGMENT	1..1	Required: Begin of segment attribute.	1
WMENG	1..1	1/15	Required: Scheduled quantity.	25000.000
AMENG	0..1	0/15	Previous scheduled quantity.	0.000
EDATU	1..1	1/8	Required: IDOC: Date.	20110119
EZFIT	0..1	0/6	IDOC: Time.	
E1EDP41	0..8	-	Ship-to partner ID and address data at item level. If present in transaction, if ship-to partner is not present in header E1EDK41, it can be sent at the item level in E1EDP41.	
	@SEGMENT	1..1	Required: Begin of segment attribute.	1
PARVV	0..1	0/3	Required: Partner type identifier. Valid value is WE - Ship-to partner qualifier.	WE
PARTN	0..1	0/17	Conditionally required if LIFNR is not present. Partner number.	
LIFNR	0..1	0/17	Conditionally required if PARTN is not present. Ship-to partner number.	0001013690
NAME1	0..1	0/35	Name 1.	Pharm1 Pharma
NAME2	0..1	0/35	Name 2.	Warehouse
STRAS	0..1	0/35	Street and house number 1.	123 Victory Blvd
STRS2	0..1	0/35	Street and house number 2.	
ORT01	0..1	0/35	City.	Newark
PSTLZ	0..1	0/9	Postal code.	07103
LAND1	0..1	0/4	Country key.	US
TELF1	0..1	0/25	Contact telephone number.	
TELFX	0..1	0/25	Contact fax number.	
SFRAS	0..1	0/1	Language key.	
ANRED	0..1	0/15	FirmOfAddr	
HAUSN	0..1	0/6	House number.	
REGIO	0..1	0/3	Region.	NI
BNAME	0..1	0/35	IDoc user name.	
PAORG	0..1	0/35	IDoc organization code.	
ORGTX	0..1	0/30	IDoc organization code text.	
PAGRU	0..1	0/35	IDoc group code.	
ILNLR	0..1	0/70	International Location Number. Use to store GLN.	888888202867
SPRAS_ISO	0..1	0/2	ISO language code.	
TITLE	0..1	0/15	Title.	
E1EDP19	1..5	-	Required: Material Identification Numbers.	
	@SEGMENT	1..1	Required: Begin of segment attribute.	1
	QUALF	1..1	Required: Customer material type qualifier. Valid values: <ul style="list-style-type: none"> • B01 - Customer material number • B02 - Vendor material number • B03 - EAN/UPC Universal Item Number/GTIN • B04 - Manufacturer's product number 	001
KTNR	1..1	1/35	Required: Customer material number.	00000000000991182
KTXT	0..1	0/70	Material description.	SCINTOL SR FCT 20MG 3X10 IL
MFRPN	0..1	0/42	Manufacturer part number.	
MFRNR	0..1	0/10	Manufacturer number.	
E1EDP18	0..3	-	Payment terms.	
	@SEGMENT	1..1	Required: Begin of segment attribute.	1
	QUALF	0..1	Required: Qualifier organization.	001
TAGE	0..1	0/8	IDOC number of days.	14
PRZNT	0..1	0/8	Percentage for terms of payment.	3.00
EZTERM_TXT	0..1	0/70	Payment terms text.	
E1EDP71	0..*	-	Free-form Text Header at item level.	
	@SEGMENT	1..1	Required: Begin of segment attribute.	1
TBID	1..1	1/4	Required: Text ID.	ZDC6
TSPRAS	0..1	0/3	Language key.	EN
TSPRAS_ISO	0..1	0/2	Language according to ISO 639.	EN
E1EDP72	0..*	-	Free-form Text Records at item level.	
	@SEGMENT	1..1	Required: Begin of segment attribute.	1
	TDLNE	0..1	Required: Text line.	AT LEAST 80% REMAINING SHELF LIFE
	TDFORMAT	0..1	Text column.	
E1EDS01	0..5	0/2	IDoc summary total quantities and amounts.	
	@SEGMENT	1..1	Required: Begin of segment attribute.	1

Element	Occurs	Length	Description	Example
SUMID	0..1	1/3	Qualifier for totals segment for shipping notification. Valid values: • 001 - Number of Items • 002 - Net Document Value • 003 - Gross Document Value • 004 - Total of All Quantities	002
SUMME	0..1	0/18	Total value of sum segment.	89000
SUNIT	0..1	0/3	Total value unit for totals.	USD
WAERQ	0..1	0/3	Currency.	

Example

```

<ORDERS05>
  <IDOC BEGIN="1">
    <EDI_DC40 SEGMENT="1">
      <TABNAM>EDI_DC40</TABNAM>
      <MANDT>300</MANDT>
      <DOCNUM>0000000000011111</DOCNUM>
      <DOCREL>700</DOCREL>
      <STATUS>X</STATUS>
      <DIRECT>X</DIRECT>
      <OUTMOD>X</OUTMOD>
      <EXPRSS>X</EXPRSS>
      <TEST>X</TEST>
      <IDOCTYP>ORDERS05</IDOCTYP>
      <CIMTYP>X</CIMTYP>
      <MESTYP>ORDERS</MESTYP>
      <MESCOD>X</MESCOD>
      <MESFCT>X</MESFCT>
      <STD>X</STD>
      <STDVRS>EDIv6</STDVRS>
      <STDMES>EDIPOA</STDMES>
      <SNDPOR>SAP - ERP</SNDPOR>
      <SNDPRT>LS</SNDPRT>
      <SNDPFC>LS</SNDPFC>
      <SNDPRN>ERPCLNT300</SNDPRN>
      <SNDSAD>SenderAddress</SNDSAD>
      <SNDLAD>SAP:8888202867</SNDLAD>
      <RCVPOR>TRACELINK</RCVPOR>
      <RCVPRT>LS</RCVPRT>
      <RCVPFC>LS</RCVPFC>
      <RCVPRN>TRACELINK</RCVPRN>
      <RCVSAD>ReceiverAddress</RCVSAD>
      <RCVLAD>SAP:8196733288</RCVLAD>
      <CREDAT>20120709</CREDAT>
      <CRETIM>161210</CRETIM>
      <REFINT>Ref2IntchFile</REFINT>
      <REFGRP>Ref2IntchGrp</REFGRP>
      <REFMES>Ref2Msg</REFMES>
      <ARCKEY>EDIACHiveKey</ARCKEY>
      <SERIAL>SerializationField</SERIAL>
    </EDI_DC40>
    <E1EDK01 SEGMENT="1">
      <ACTION>000</ACTION>
  </IDOC BEGIN="1">
</ORDERS05>

```

```
<KZABS>X</KZABS>
<CURCY>USD</CURCY>
<WKURS>1.00000</WKURS>
<ZTERM>NOT-MAPPED</ZTERM>
<BSART>XXXX</BSART>
<BELNR>NOT-MAPPED SupSales</BELNR>
</E1EDK01>
<E1EDK14 SEGMENT="1">
  <QUALF>010</QUALF>
  <ORGID>SALESGROUP 1222</ORGID>
</E1EDK14>
<E1EDK03 SEGMENT="1">
  <IDDAT>022</IDDAT>
  <DATUM>20230101</DATUM>
  <UZEIT>170000</UZEIT>
</E1EDK03>
<E1EDKA1 SEGMENT="1">
  <PARVW>AG</PARVW>
  <PARTN>stp_CompanyId</PARTN>
  <LIFNR>stp_altID_GLN</LIFNR>
  <NAME1>stp_SOLD TO PARTY (AG/SP)</NAME1>
  <NAME2>stp_NAME2_NOT_MAPPED SOLD TO</NAME2>
  <STRAS>stp_7956 VICTORY</STRAS>
  <STRS2>stp_Suite 2</STRS2>
  <ORT01>stp_North Reading</ORT01>
  <PSTLZ>01864</PSTLZ>
  <LAND1>US</LAND1>
  <TELF1>0041613039194</TELF1>
  <TELFX>0041613039199</TELFX>
  <SPRAS>E</SPRAS>
  <ANRED>E</ANRED>
  <HAUSN>7956</HAUSN>
  <REGIO>MA</REGIO>
  <BNAME>stp_GREGORY SMITH</BNAME>
  <PAORG>stp_IDocOrgCode</PAORG>
  <ORGTX>stp_IDocOrgCodeTxt</ORGTX>
  <PAGRU>stp_IDocGrpCode</PAGRU>
  <ILNNR>stp_GLN</ILNNR>
  <SPRAS_ISO>EN</SPRAS_ISO>
  <TITLE>stp_VP</TITLE>
</E1EDKA1>
<E1EDKA1 SEGMENT="1">
  <PARVW>LF</PARVW>
  <PARTN>sup_CompanyId</PARTN>
  <LIFNR>sup_altId_GLN</LIFNR>
  <NAME1>sup_SUPPLIER/VENDOR (LF/SU)</NAME1>
```

```
<NAME2>sup_NAME2_NOT_MAPPED SUPPLIER</NAME2>
<STRAS>sup_22 Stella Maris Bldg</STRAS>
<STRS2>sup_Coronado Business Park</STRS2>
<ORT01>Merida</ORT01>
<PSTLZ>97000</PSTLZ>
<LAND1>MX</LAND1>
<TELF1>17815551212</TELF1>
<TELFX>17811235566</TELFX>
<SPRAS>S</SPRAS>
<ANRED>A</ANRED>
<HAUSN>14</HAUSN>
<REGIO>YU</REGIO>
<BNAME>sup_NOT_MAPPED Sr. Guiellermo</BNAME>
<PAORG>sup_NOT_MAPPED IDocOrgCode</PAORG>
<ORGTX>sup_NOT_MAPPED IDocOrgCodeTxt</ORGTX>
<PAGRU>sup_NOT_MAPPED IDocGrpCode</PAGRU>
<ILNNR>sup_GLN</ILNNR>
<SPRAS_ISO>ES</SPRAS_ISO>
<TITLE>sup_VP</TITLE>
</E1EDKA1>
<E1EDKA1 SEGMENT="1">
  <PARVW>WE</PARVW>
  <PARTN>shtp_CompanyId</PARTN>
  <LIFNR>shtp_altID_GLN</LIFNR>
  <NAME1>shtp_SHIP TO PARTY (WE/SH)</NAME1>
  <NAME2>shtp_NAME2_NOT_MAPPED SHIP TO</NAME2>
  <STRAS>shtp_101 Central Street</STRAS>
  <STRS2>shtp_Local, WST-190. E</STRS2>
  <ORT01>shtp_Wilmington</ORT01>
  <PSTLZ>01867</PSTLZ>
  <LAND1>US</LAND1>
  <TELF1>0041613039194</TELF1>
  <TELFX>0041613039199</TELFX>
  <SPRAS>E</SPRAS>
  <ANRED>A</ANRED>
  <HAUSN>101</HAUSN>
  <REGIO>MA</REGIO>
  <BNAME>shtp_NOT_MAPPED_Vishny Jurgensen</BNAME>
  <PAORG>shtp_NOT_MAPPED_IDocOrgCode</PAORG>
  <ORGTX>shtp_NOT_MAPPED_IDocOrgCodeTxt</ORGTX>
  <PAGRU>shtp_NOT_MAPPED_IDocGrpCode</PAGRU>
  <ILNNR>shtp_GLN</ILNNR>
  <SPRAS_ISO>EN</SPRAS_ISO>
  <TITLE>shtp_Dr</TITLE>
</E1EDKA1>
<E1EDKA1 SEGMENT="1">
```

```
<PARVW>SP</PARVW>
<PARTN>cp_CompanyId</PARTN>
<LIFNR>cp_altId_GLN</LIFNR>
<NAME1>cp_CARRIER PARTY (SP)</NAME1>
<NAME2>cp_NAME2_NOT_MAPPED FEDEX</NAME2>
<STRAS>cp_Street 1</STRAS>
<STRS2>cp_First Floor</STRS2>
<ORT01>Merida</ORT01>
<PSTLZ>97000</PSTLZ>
<LAND1>MX</LAND1>
<TELF1>0053993039194</TELF1>
<TELFX>0077759539199</TELFX>
<SPRAS>S</SPRAS>
<ANRED>A</ANRED>
<HAUSN>45</HAUSN>
<REGIO>YU</REGIO>
<BNAME>cp_NOT_MAPPED Ortega</BNAME>
<PAORG>cp_NOT_MAPPED IDocOrgCode</PAORG>
<ORGTX>cp_NOT_MAPPED IDocOrgCodeTxt</ORGTX>
<PAGRU>cp_NOT_MAPPED IDocGrpCode</PAGRU>
<ILNNR>cp_GLN</ILNNR>
<SPRAS_ISO>SP</SPRAS_ISO>
<TITLE>cp_Driver</TITLE>
</E1EDKA1>
<E1EDKA1 SEGMENT="1">
  <PARVW>RE</PARVW>
  <PARTN>0001000286</PARTN>
  <LIFNR>CH1000286</LIFNR>
  <NAME1>BILL TO PARTY (RE/BP)</NAME1>
  <NAME2>Pharma1 Pharma</NAME2>
  <STRAS>45 Central Dr</STRAS>
  <STRS2>Ground Floor</STRS2>
  <ORT01>BASEL</ORT01>
  <PSTLZ>4002</PSTLZ>
  <LAND1>CH</LAND1>
  <TELF1>0041613039194</TELF1>
  <TELFX>0041613039199</TELFX>
  <SPRAS>G</SPRAS>
  <ANRED>A</ANRED>
  <HAUSN>45</HAUSN>
  <REGIO>GL</REGIO>
  <BNAME>Paul Blattner</BNAME>
  <PAORG>IDocOrganizationCode</PAORG>
  <ORGTX>IDocOrganizationCodeTxt</ORGTX>
  <PAGRU>IDocGrpCode</PAGRU>
  <ILNNR>888888202867</ILNNR>
```

```
<SPRAS_ISO>EN</SPRAS_ISO>
<TITLE>Director</TITLE>
</E1EDKA1>
<E1EDK02 SEGMENT="1">
  <QUALF>001</QUALF>
  <BELNR>PO_MAX1</BELNR>
  <DATUM>20220709</DATUM>
  <UZEIT>110902</UZEIT>
</E1EDK02>
<E1EDK17 SEGMENT="1">
  <QUALF>001</QUALF>
  <LKOND>FCA</LKOND>
  <LKTEXT>INC01 Free Carrier 1</LKTEXT>
</E1EDK17>
<E1EDK18 SEGMENT="1">
  <QUALF>001</QUALF>
  <TAGE>30</TAGE>
  <PRZNT>100</PRZNT>
  <ZTERM_TXT>Payment up to 30 days without
interest</ZTERM_TXT>
</E1EDK18>
<E1EDKT1 SEGMENT="1">
  <TDID>0001</TDID>
  <TSSPRAS>E</TSSPRAS>
  <TSSPRAS_ISO>EN</TSSPRAS_ISO>
  <TDOBJECT>VBBK</TDOBJECT>
  <TDOBNAME>Free-Form-Text-Header</TDOBNAME>
  <E1EDKT2 SEGMENT="1">
    <TDLINE>THIS IS THE HEADER OF THE PURCHASE ORDER
PO_MAX1.</TDLINE>
    <TDFORMAT>/:</TDFORMAT>
  </E1EDKT2>
</E1EDKT1>
<E1EDP01 SEGMENT="1">
  <POSEX>line_1</POSEX>
  <ACTION>001</ACTION>
  <PSTYP>2</PSTYP>
  <MENGE>1</MENGE>
  <MENEE>PCE</MENEE>
  <BMNG2>12</BMNG2>
  <PMENE>PK</PMENE>
  <VPREI>24</VPREI>
  <PEINH>1</PEINH>
  <NETWR>72</NETWR>
  <NTGEW>.048</NTGEW>
  <GEWEI>KGM</GEWEI>
```

```
<CURCY>USD</CURCY>
<PREIS>NOT_MAPPED</PREIS>
<MATKL>1111KB</MATKL>
<UEPOS>NotMap</UEPOS>
<BPUMN>1</BPUMN>
<BPUMZ>1</BPUMZ>
<BRGEW>.144</BRGEW>
<E1EDP02 SEGMENT="1">
  <QUALF>001</QUALF>
  <BELNR>P0_MAX1</BELNR>
  <ZEILE>line_1</ZEILE>
  <DATUM>20220709</DATUM>
  <UZEIT>110902</UZEIT>
</E1EDP02>
<E1EDP03 SEGMENT="1">
  <IDDAT>022</IDDAT>
  <DATUM>20220709</DATUM>
  <UZEIT>110902</UZEIT>
</E1EDP03>
<E1EDP20 SEGMENT="1">
  <WMENG>3</WMENG>
  <AMENG>4</AMENG>
  <EDATU>20220709</EDATU>
  <EZEIT>110902</EZEIT>
</E1EDP20>
<E1EDPA1 SEGMENT="1">
  <PARVW>WE</PARVW>
  <PARTN>li_shtp_CompanyId</PARTN>
  <LIFNR>li_shtp_altID_GLN</LIFNR>
  <NAME1>li_shtp_SHIP TO PARTY (WE/SH)</NAME1>
  <NAME2>li_shtp_NAME2_NOT_MAPPED SHIP TO</NAME2>
  <STRAS>li_shtp_101 Central Street</STRAS>
  <STRS2>li_shtp_Local, WST-190. E</STRS2>
  <ORT01>li_shtp_Wilmington</ORT01>
  <PSTLZ>01867</PSTLZ>
  <LAND1>US</LAND1>
  <TELF1>0041613039194</TELF1>
  <TELFX>0041613039199</TELFX>
  <SPRAS>E</SPRAS>
  <ANRED>A</ANRED>
  <HAUSN>101</HAUSN>
  <REGIO>MA</REGIO>
  <BNAME>li_shtp_NOT_MAPPED_Vishny Jurgensen</BNAME>
  <PAORG>li_shtp_NOT_MAPPED_IDocOrgCode</PAORG>
  <ORGTX>li_shtp_NOT_MAPPED_IDocOrgCodeTxt</ORGTX>
  <PAGRU>li_shtp_NOT_MAPPED_IDocGrpCode</PAGRU>
```

```
<ILNNR>li_shtp_GLN</ILNNR>
<SPRAS_ISO>EN</SPRAS_ISO>
</E1EDPA1>
<E1EDP19 SEGMENT="1">
  <QUALF>001</QUALF>
  <IDTNR>10400000701117</IDTNR>
<KTEXT>line1_product10400000701117_RegStrength_12pack</KTEXT>
  <MFRPN>X</MFRPN>
  <MFRNR>X</MFRNR>
</E1EDP19>
<E1EDP18 SEGMENT="1">
  <QUALF>001</QUALF>
  <TAGE>15</TAGE>
  <PRZNT>3.00</PRZNT>
  <ZTERM_TXT>Text description of Payment
Terms</ZTERM_TXT>
</E1EDP18>
<E1EDPT1 SEGMENT="1">
  <TDID>Z0C6</TDID>
  <TSSPRAS>E</TSSPRAS>
  <TSSPRAS_ISO>EN</TSSPRAS_ISO>
  <E1EDPT2 SEGMENT="1">
    <TDLINE>AT LEAST 80% REMAINING SHELF LIFE</TDLINE>
    <TDFORMAT>*</TDFORMAT>
  </E1EDPT2>
</E1EDPT1>
</E1EDP01>
<E1EDS01 SEGMENT="1">
  <SUMID>001</SUMID>
  <SUMME>3</SUMME>
  <SUNIT>72</SUNIT>
  <WAERQ>USD</WAERQ>
</E1EDS01>
</IDOC>
</ORDERS05>
```



Review TraceLink's [API: Terms of Use](#)

Related Content



Forecast plan (IDoc)

Forecasting APIs allow companies to exchange data about anticipated product demand and supply availability with upstream supply chain Partners without giving these Partners access to their serialization system of record.

[View More](#)



Forecast plan (X12)

Forecasting APIs allow companies to exchange data about anticipated product demand and supply availability with upstream supply chain Partners without giving these Partners access to their serialization system of record.

[View More](#)



Forecast plan response (IDoc)

Forecasting APIs allow companies to exchange data about anticipated product demand and supply availability with downstream supply chain Partners without giving these Partners access to their serialization system of record.

[View More](#)