



TRACELINK UNIVERSITY

- Home**
- Resources**
- TraceLink University**

Invoice outbound Link Action Transactions

The Link Action Invoice in an ERP system is a sales invoice that is generated and sent by a seller (the company using NetSuite) to a buyer (customer) after the goods have been shipped or services have been delivered. Invoice serves as a formal request for payment.

Netsuite ERP

The following are the Netsuite ERP attributes that are mapped with the Canonical attributes and their output path.

- **Transform Name:**
 - STD_Transform_MPL_Netsuite_Invoice_OB_V1

Guidelines

Input Element	Output Path	Target Field	Mapping Rules
messageBody	-	-	-
canonicalInvoiceHeader	-	-	-
invoiceTermsOfPaymentKey	-	-	-
vatRegistrationNumber	-	-	-
alternateVATRegistrationNumber	-	-	-
invoiceDocumentType	-	-	-
invoiceListType	-	-	-
billingCategory	-	-	-
additionalPONumber	-	-	-
shippingConditions	-	-	-
shippingConditionsDescription	-	-	-
recipientIdentifier	-	-	-
isDropShip	-	-	-
transactionReferencIdentifierList(1)	-	-	-
b2bTransactionIdentifierType	-	-	-

Input Element	Output Path	Target Field	Mapping Rules
b2bTransactionIdentifierValue	-	-	-
lineItemNumber	-	-	-
transactionDate	-	-	-
epochTransactionDate	-	-	-
transactionReferenceIdentifierList(2)	-	-	-
b2bTransactionIdentifierType	-	-	-
b2bTransactionIdentifierValue	-	-	-
lineItemNumber	-	-	-
transactionDate	-	-	-
epochTransactionDate	-	-	-
transactionReferenceIdentifierList(3)	-	-	-
b2bTransactionIdentifierType	-	-	-
b2bTransactionIdentifierValue	-	-	-
lineItemNumber	-	-	-
transactionDate	-	-	-
epochTransactionDate	-	-	-
invoiceDates(1)	-	-	-
dateType	billingAddress	createdDate	-
dateValue	billingAddress	createdFrom	-
epochDateValue	-	-	-
timeZone	-	-	-
invoiceDates(2)	shippingAddress	CONSTANT[STARTDATE]	Hardcode "STARTDATE" to target
dateType	shippingAddress	startDate	-
dateValue	-	-	-
epochDateValue	-	-	-
timeZone	-	-	-
invoiceDates(3)	-	-	-
dateType	-	-	-
dateValue	-	-	-
epochDateValue	-	-	-
timeZone	-	-	-
invoiceCurrency	-	-	-
exchangeRateCurrencyCode	-	-	-
exchangeRate	currency	exchangeRate	-
validityDate	-	-	-
epochValidityDate	-	-	-
currencyCode	currency	symbol	-
remitToBusinessInformation	-	-	-
CONSTANT [RI]	-	-	-
businessName	-	-	-
mpcCompanyLocationIdentifierList	-	-	-
isIdentifierPresentInEvent	-	-	-
companyIdentifierType	-	-	-
companyIdentifierValue	-	-	-
alternateCompanyLocationIdentifierValue	-	-	-
companyLocationContactInformation	-	-	-
contactTitle	-	-	-
CONSTANT [EM]	-	-	-
contactEmail	-	-	-
contactName	-	-	-
CONSTANT [TE]	-	-	-
contactPhone	-	-	-
address	-	-	-
address1	-	-	-
address2	-	-	-
city	-	-	-
district	-	-	-
state	-	-	-

Input Element	Output Path	Target Field	Mapping Rules
postalCode	-	-	-
country	-	-	-
telephone	-	-	-
fax	-	-	-
customerBusinessInformation	-	-	-
CONSTANT [BY]	-	-	-
businessName	-	-	-
mpcCompanyLocationIdentifierList	-	-	-
isIdentifierPresentInEvent	-	-	-
companyIdentifierType	entity	CONSTANT[COMPANYID]	-
companyIdentifierValue	entity	externalId[2]	-
alternateCompanyLocationIdentifierValue	-	-	-
companyLocationContactInformation	-	-	-
contactName	entity	entityId	-
contactTitle	entity	title	-
CONSTANT [EM]	-	-	-
contactEmail	entity	email	-
CONSTANT [TE]	-	-	-
contactPhone	-	-	-
address	-	-	-
address1	entity	addr1	-
address2	entity	addr2	-
city	entity	city	-
district	-	-	-
state	entity	state	-
postalCode	entity	zip	-
country	entity	country	-
telephone	entity	addrPhone	-
fax	entity	fax	-
billToBusinessInformation	-	-	-
CONSTANT[BT]	-	-	-
businessName	billingAddress	addressee	-
mpcCompanyLocationIdentifierList	-	-	-
isIdentifierPresentInEvent	-	-	-
companyIdentifierType	-	-	-
companyIdentifierValue	-	-	-
alternateCompanyLocationIdentifierValue	-	-	-
companyLocationContactInformation	-	-	-
contactName	-	-	-
contactTitle	-	-	-
contactEmail	-	-	-
contactPhone	-	-	-
address	-	-	-
address1	billingAddress	addr1	-
address2	billingAddress	addr2	-
city	billingAddress	city	-
district	-	-	-
state	billingAddress	state	-
postalCode	billingAddress	zip	-
country	billingAddress	country	-
telephone	-	-	-
fax	-	-	-
billToShipToBusinessInformation	-	-	-
CONSTANT[BS]	-	-	-
businessName	-	-	-
mpcCompanyLocationIdentifierList	-	-	-
isIdentifierPresentInEvent	-	-	-
companyIdentifierType	-	-	-
companyIdentifierValue	-	-	-

Input Element	Output Path	Target Field	Mapping Rules
alternateCompanyLocationIdentifierValue	-	-	-
companyLocationContactInformation	-	-	-
contactName	-	-	-
contactTitle	-	-	-
contactEmail	-	-	-
contactPhone	-	-	-
address	-	-	-
address1	-	-	-
address2	-	-	-
city	-	-	-
district	-	-	-
state	-	-	-
postalCode	-	-	-
country	-	-	-
telephone	-	-	-
fax	-	-	-
invoicePayerBusinessInformation	-	-	-
CONSTANT [PR]	-	-	-
businessName	-	-	-
mpcCompanyLocationIdentifierList	-	-	-
isIdentifierPresentInEvent	-	-	-
companyIdentifierType	-	-	-
companyIdentifierValue	-	-	-
alternateCompanyLocationIdentifierValue	-	-	-
companyLocationContactInformation	-	-	-
contactName	-	-	-
contactTitle	-	-	-
CONSTANT [EM]	-	-	-
contactEmail	-	-	-
CONSTANT [TE]	-	-	-
contactPhone	-	-	-
address	-	-	-
address1	-	-	-
address2	-	-	-
city	-	-	-
district	-	-	-
state	-	-	-
postalCode	-	-	-
country	-	-	-
telephone	-	-	-
fax	-	-	-
companyCodeBusinessInformation	-	-	-
businessName	-	-	-
companyLocationContactInformation	-	-	-
contactName	-	-	-
contactTitle	-	-	-
contactEmail	-	-	-
contactPhone	-	-	-
mpcCompanyLocationIdentifierList	-	-	-
isIdentifierPresentInEvent	-	-	-
companyIdentifierType	-	-	-
companyIdentifierValue	-	-	-
alternateCompanyLocationIdentifierValue	-	-	-
address	-	-	-
address1	-	-	-
address2	-	-	-
city	-	-	-
district	-	-	-
state	-	-	-

Input Element		Output Path	Target Field	Mapping Rules
	postalCode	-	-	-
	country	-	-	-
	telephone	-	-	-
	fax	-	-	-
	shipToLocationInformation	-	-	-
	CONSTANT [ST]	-	-	-
	businessName	shippingAddress	addressee	-
	mpcCompanyLocationIdentifierList	-	-	-
	companyIdentifierValue	-	-	-
	companyIdentifierType	-	-	-
	alternateCompanyLocationIdentifierValue	-	-	-
	address	-	-	-
	address1	shippingAddress	addr1	-
	address2	shippingAddress	addr2	-
	city	shippingAddress	city	-
	district	-	-	-
	state	shippingAddress	state	-
	postalCode	shippingAddress	zip	-
	country	shippingAddress	country	-
	telephone	shippingAddress	telephone	-
	fax	shippingAddress	fax	-
	companyLocationContactInformation	-	-	-
	contactTitle	-	-	-
	contactEmail	-	-	-
	contactName	-	-	-
	contactPhone	-	-	-
	supplierBusinessInformation	-	-	-
	CONSTANT [SU]	-	-	-
	businessName	-	-	-
	mpcCompanyLocationIdentifierList	-	-	-
	companyIdentifierValue	-	-	-
	companyIdentifierType	vendor	CONSTANT[COMPANYID]	-
	alternateCompanyLocationIdentifierValue	vendor	externalId[2]	companyIdentifierType="COMPANYID"
	address	-	-	-
	address1	vendor	addr1	-
	address2	vendor	addr2	-
	city	vendor	city	-
	district	-	-	-
	state	vendor	state	-
	postalCode	vendor	zip	-
	country	vendor	country	-
	telephone	vendor	telephone	-
	fax	vendor	fax	-
	companyLocationContactInformation	-	-	-
	contactName	-	-	-
	contactTitle	-	-	-
	CONSTANT [EM]	-	-	-
	contactEmail	-	-	-
	CONSTANT [TE]	-	-	-
	contactPhone	-	-	-
	invoiceOrganization	-	-	-
	organizationType	-	-	-
	organizationValue	-	-	-
	termsOfPayment	-	-	-
	termsOfPaymentKey	terms	name	-
	termsOfPaymentTypeCode	-	-	-
	termsOfPaymentDateBasis	-	-	-
	numberOfDays	-	-	-
	termsOfPaymentPercent	terms	discountPercentDateDriven	-

Input Element	Output Path	Target Field	Mapping Rules
discountDueNumberOfDays	terms	dueNextMonthIfWithinDays	-
invoicePayablePercent	-	-	-
discountDueDate	-	-	-
epochDiscountDueDate	-	-	-
paymentDeferredToDate	-	-	-
epochPaymentDeferredToDate	-	-	-
paymentDueDate	-	-	-
epochPaymentDueDate	-	-	-
paymentDeferredDueAmount	-	-	-
description	-	-	-
dayOfMonth	-	-	-
taxes	-	-	-
country	taxDetails	country	-
taxRate	taxDetails	taxRate	-
vatIndicator	-	-	-
taxExemptCode	-	-	-
taxCurrencyCode	-	-	-
taxPercent	-	-	-
taxRegistrationCode	-	-	-
taxAmount	taxDetails	taxAmount	-
taxType	taxDetails.taxCode	taxType	-
taxJurisdictionCode	-	-	-
bankInfo	-	-	-
country	account	country	-
city	account	city	-
bankIdentifier	-	-	-
bankName	account	sBankName	-
accountNumber	account	sBankCompanyId	-
accountHolderName	account	fullName	-
internationalBankAccountNumber	-	-	-
creditsAndCharges	-	-	-
creditChargeKeyType	-	-	-
creditChargeType	-	-	-
creditChargeAmount	-	-	-
qualifyingAmount	-	-	-
creditChargePercentRate	-	-	-
percentRateBasisTypeCode	-	-	-
creditChargeCurrencyCode	-	-	-
creditChargeHandlingCode	-	-	-
description	-	-	-
deliveryTerms	-	-	-
deliveryTermCode	-	-	-
description	-	-	-
deliveryChargePaymentMethodType	-	-	-
fobTransferLocation	-	-	-
invoiceWeight(1)	-	-	-
weightType	-	-	-
weightValue	-	-	-
unitOfMeasure	-	-	-
invoiceWeight(2)	-	-	-
weightType	-	-	-
weightValue	-	-	-
unitOfMeasure	-	-	-
foreignTradeHeaderInformation	-	-	-
foreignTradeIdentifier	-	-	-
exportDepartureCountryCode	-	-	-
exportAlternateDepartureCountryCode	-	-	-
exportDepartureCountryDescription	-	-	-
foreignTradeTransportMode	-	-	-

Input Element	Output Path	Target Field	Mapping Rules
foreignTradeTransportModeDescription	-	-	-
foreignTradeCustomsEntryExitOfficeCode	-	-	-
foreignTradeCustomsEntryExitOfficeDescription	-	-	-
foreignTradeCurrency	-	-	-
importingCountryCode	-	-	-
importingCountryName	-	-	-
importingAlternateCountryCode	-	-	-
soldtoPartyAlternateCountryCode	-	-	-
freeTradeAreaCode	-	-	-
freeTradeAreaDescription	-	-	-
countryCodeForJapanCustomsDeclaration	-	-	-
countryDirectoryCurrencyCode	-	-	-
domesticModeOfTransport	-	-	-
domesticModeOfTransportDescription	-	-	-
exportCustomsOfficeCode	-	-	-
exportCustomsOfficeDescription	-	-	-
associationForForeignTradeIndicator	-	-	-
freeTextNote	-	-	-
textReferenceCode	-	-	-
textFunctionCode	-	-	-
language	-	-	-
textFormatCode	-	-	-
freeFormText	-	-	-
canonicalInvoiceItemDetails	-	-	-
lineItemNumber	-	-	-
itemCategory	-	-	-
productCodesIdentifiers	-	-	-
productCodeType	-	-	-
productCodeValue	-	-	-
mpcItemCodeType	-	-	-
CONSTANT [LT]	-	-	-
lotNumber	-	-	-
productItemInformation	-	-	-
productLanguageCode	-	-	-
productName	-	-	-
productDescription	-	-	-
genericName	-	-	-
CONSTANT [F]	-	-	-
expirationDate	-	-	-
CONSTANT [208]	-	-	-
epochExpirationDate	-	-	-
additionalItemInformation	-	-	-
numberOfUnitsShipped	-	-	-
unitOfMeasure	-	-	-
statusCodeForShipmentOrOrder	-	-	-
quantityDifference	-	-	-
itemQuantity	-	-	-
quantityType	-	-	-
unitOfMeasure	-	-	-
quantityValue	-	-	-
invoicePricing	-	-	-
pricingType	-	-	-
pricingAmount	-	-	-
creditsAndCharges	-	-	-
creditChargeKeyType	-	-	-
creditChargeType	-	-	-
creditChargeAmount	-	-	-
qualifyingAmount	-	-	-
creditChargePercentRate	-	-	-

Input Element	Output Path	Target Field	Mapping Rules
percentRateBasisTypeCode	-	-	-
creditChargeCurrencyCode	-	-	-
creditChargeHandlingCode	-	-	-
description	-	-	-
taxes	-	-	-
country	-	-	-
taxRate	-	-	-
vatIndicator	-	-	-
taxExemptCode	-	-	-
taxCurrencyCode	-	-	-
taxPercent	-	-	-
taxRegistrationCode	-	-	-
taxAmount	-	-	-
taxType	-	-	-
taxJurisdictionCode	-	-	-
itemWeight(1)	-	-	-
weightType	-	-	-
weightValue	-	-	-
unitOfMeasure	-	-	-
itemWeight(2)	-	-	-
weightType	-	-	-
weightValue	-	-	-
unitOfMeasure	-	-	-
transactionReferenceIdentifierList	-	-	-
b2bTransactionIdentifierType	-	-	-
b2bTransactionIdentifierValue	-	-	-
lineItemNumber	-	-	-
transactionDate(1)	-	-	-
transactionDate(2)	-	-	-
epochTransactionDate	-	-	-
invoiceDates	-	-	-
dateType	-	-	-
dateValue	-	-	-
epochDateValue	-	-	-
timeZone	-	-	-
accountAssignmentForInvoice	-	-	-
accountAssignmentType	-	-	-
accountIdentifier	-	-	-
foreignTradeItemDetailsInformation	-	-	-
foreignTradeIdentifier	-	-	-
foreignTradeLineItemNumber	-	-	-
exportImportProcedureCode	-	-	-
exportImportAlternateProcedureCode	-	-	-
exportImportProcedureDescription	-	-	-
foreignTradeBusinessTransactionType	-	-	-
foreignTradeBusinessTransactionDescription	-	-	-
productCountryOfOrigin	-	-	-
productRegionOfOrigin	-	-	-
productAlternateCountryOfOrigin	-	-	-
productCountryOfOriginDescription	-	-	-
productGrossWeight	-	-	-
productNetWeight	-	-	-
unitOfMeasure	-	-	-
regionOfProductManufacture	-	-	-
countryOfDispatchForTrade	-	-	-
countryOfDispatchDescription	-	-	-
exemptionCertificateForTrade	-	-	-
exemptionCertificateForLegalControl	-	-	-
exemptionCertificateIssueDate	-	-	-

Input Element	Output Path	Target Field	Mapping Rules
epochExemptionCertificateIssueDate	-	-	-
regionForPlant	-	-	-
shipToLocationInformation	-	-	-
CONSTANT[WE]	-	-	-
businessName	-	-	-
companyLocationContactInformation	-	-	-
contactName	-	-	-
contactTitle	-	-	-
contactEmail	-	-	-
contactPhone	-	-	-
mpcCompanyLocationIdentifierList	-	-	-
isIdentifierPresentInEvent	-	-	-
companyIdentifierType	-	-	-
companyIdentifierValue	-	-	-
alternateCompanyLocationIdentifierValue	-	-	-
address	-	-	-
address1	-	-	-
address2	-	-	-
city	-	-	-
district	-	-	-
state	-	-	-
postalCode	-	-	-
country	-	-	-
telephone	-	-	-
fax	-	-	-
freeTextNote	-	-	-
textReferenceCode	-	-	-
CONSTANT [AAI]	-	-	-
textFunctionCode	-	-	-
language	-	-	-
textFormatCode	-	-	-
freeFormText	-	-	-
canonicalInvoiceSummary(1)	-	-	-
summaryType	-	-	-
summaryValue	-	-	-
summaryValueUnit	-	-	-
canonicalInvoiceSummary(2)	-	-	-
summaryType	-	-	-
summaryValue	-	-	-
summaryValueUnit	-	-	-

 Review TraceLink's **API: Terms of Use**

Related Content



Forecast plan (IDoc)

Forecasting APIs allow companies to exchange data about anticipated product demand and supply availability with upstream supply chain Partners without giving these Partners access to their serialization system of record.

[View More](#)



Forecast plan (X12)

Forecasting APIs allow companies to exchange data about anticipated product demand and supply availability with upstream supply chain Partners without giving these Partners access to their serialization system of record.

[View More](#)



Forecast plan response (IDoc)

Forecasting APIs allow companies to exchange data about anticipated product demand and supply availability with downstream supply chain Partners without giving these Partners access to their serialization system of record.

[View More](#)