



TRACELINK UNIVERSITY

Home  
Resources  
TraceLink University

# Warehouse ship order inbound Link Action Transactions

The Link Action Warehouse Ship Order in an ERP system is a structured transaction received by the ERP system, instructing a warehouse or 3PL to ship specific products to a customer or destination. It contains details about the items to be picked, packed, and shipped.

## Creatio ERP

The following are the Creatio ERP attributes that are mapped with the Canonical attributes and their output path.

- **Transform Name:**
  - STD\_Transform\_MPL\_Creatio\_WarehouseShipOrder\_IB\_V1

### Guidelines

Input Elements	Output Path	Output Element	Mapping Notes/Rules
Id	-	-	-
ModifiedOn	-	-	-
ModifiedById	-	-	-
Number	#/data/messageBody/canonicalWarehouseShipOrderHeader/transactionReferenceIdentifierList	b2bTransactionIdentifierValue	Store literal Value. Where b2bTransactionIdentifierType= WAREHOUSESHIPPINGORDER
StartDate	#/data/messageBody/canonicalWarehouseShipOrderHeader/mpcASNDateRanges	plannedStartDate	Store literal Value. Where mpcASNDateRangeType= REQUESTEDDELIVERY if UsrRequestedShipDate is not empty move UsrRequestedShipDate to target else ifStartDate is not empty move start date to target. If inbound payload has has 0001-01-01T00:00:00Z value then do not map.
	#/data/messageBody/canonicalWarehouseShipOrderHeader/transactionIdentifierList	transactionDate	Store literal Value. Where b2bTransactionIdentifierType= WAREHOUSESHIPPINGORDER if inbound payload has has 0001-01-01T00:00:00Z value then do not map.
PrimaryAmount	-	-	-
Order Type Code	#/data/messageBody/canonicalWarehouseShipOrderHeader	processingFunctionTypeCode	Hard code to CREATE
PrimaryPaymentAmount	-	-	-
RemindToOwner	-	-	-
RemindToOwnerDate	-	-	-
CurrencyRate	-	-	-
Amount	-	-	-
DueDate	-	-	-
PaymentAmount	-	-	-
Notes	-	-	-
AmountWithoutTax	-	-	-
PrimaryAmountWithoutTax	-	-	-
PaymentAmountWithoutTax	-	-	-
PrimaryPaymentAmountWithoutTax	-	-	-
DevatisDueDate	-	-	-

Input Elements	Output Path	Output Element	Mapping Notes/Rules
DevatisPurchaseOrderDate	#data/messageBody/canonicalWarehouseShipOrderHeader/mpcASNDateranges	plannedStartDate	Store literal value. Where mpcAsnDateRangeType=PURCHASEORDER If inbound payload has has 0001-01-01T00:00:00Z value then do not map.
	#data/messageBody/canonicalWarehouseShipOrderHeader/transactionIdentifierList	transactionDate	Store literal Value. Where b2BTransactionIdentifierType= PURCHASEORDER If inbound payload has has 0001-01-01T00:00:00Z value then do not map.
DevatisTrueCommercialInvoiceId	-	-	-
DevatisShipDate	-	-	-
UsrNumberTest	-	-	-
UsrGrossWeight	-	-	-
UsrUnitsShipped	-	-	-
UsrAutoNumber	-	-	-
UsrAvailabilityDate	-	-	-
UsrEDIOrderExpireDate	-	-	-
UsrEDIDueByDate	-	-	-
UsrEDITerms	-	-	-
UsrEDIInvoiceNumber	-	-	-
UsrEDIParentIDNumber	#/data/messageBody/canonicalWarehouseShipOrderHeader/billToBusinessInformation/mpcCompanyLocationIdentifierList	companyIdentifierValue	If UsrEDIParentIDNumber is not empty move UsrEDIParentIDNumber to target else if DevatisParentAccount.UsrNumber is not empty move DevatisParentAccount.UsrNumber to target else if DevatisBillToAddress.UsrNumber is not empty move DevatisParentAccount.DevatisIdentificationNumber is not empty move DevatisParentAccount.DevatisIdentificationNumber to target else if DevatisBillToAddress.DevatisIdentificationNumber is not empty move DevatisBillToAddress.DevatisIdentificationNumber to target
UsrEDIParentIDType	-	-	-
Description	#/data/messageBody/canonicalWarehouseShipOrderHeader/billToBusinessInformation/mpcCompanyLocationIdentifierList	companyIdentifierType	If UsrEDIParentIDType.Description is not empty move UsrEDIParentIDType.Description to target else if DevatisParentAccount.DevatisIdentificationType is not empty Move DevatisParentAccount.DevatisIdentificationType to target else if DevatisBillToAddress.DevatisIdentificationType is not empty move DevatisBillToAddress.DevatisIdentificationType to target
UsrEDICustomerIDNumber	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipToLocationInformation/mpcCompanyLocationIdentifierList	companyIdentifierValue	If UsrEDICustomerIDNumber is not empty move UsrEDICustomerIDNumber to target else if Account.UsrNumber is not empty move Account.UsrNumber to target else if DevatisShipToAddress.UsrNumber is not empty move DevatisShipToAddress.UsrNumber to target else if Account.DevatisIdentificationNumber is not empty move Account.DevatisIdentificationNumber to target else if DevatisShipToAddress.DevatisIdentificationNumber is not empty move DevatisShipToAddress.DevatisIdentificationNumber to target
UsrEDICustomerIDType	-	-	-
Description	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipToLocationInformation/mpcCompanyLocationIdentifierList	companyIdentifierType	If UsrEDICustomerIDType.Description is not empty move UsrEDICustomerIDType.Description to target else if Account.DevatisIdentificationType is not empty Move Account.DevatisIdentificationType to target else if DevatisShipToAddress.DevatisIdentificationType is not empty move DevatisShipToAddress.DevatisIdentificationType to target
UsrEDI3PLReceiver	data/customFields	name	This will be the field name UsrEDI3PLReceiver
Account	data/customFields	value	Store literal value if present.
Id	-	-	-
Name	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipToLocationInformation	businessName	If Account.Name is not empty move Account.Name to target else if DevatisShipToAddress.Name is not empty move DevatisShipToAddress.Name to target
ModifiedOn	-	-	-
ModifiedById	-	-	-
Phone	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipToLocationInformation/address	telephone	If Account.Phone is not empty move Account.Phone to target else if DevatisShipToAddress.Phone is not empty move DevatisShipToAddress.Phone Name to target
Address	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipToLocationInformation/address	address1	If UsrEDIShipToAddress is not empty move UsrEDIShipToAddress to target else if Account.Address is not empty move Account.Address to target else if DevatisShipToAddress.Address is not empty move DevatisShipToAddress.Address to target
CityName	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipToLocationInformation/address	city	If Order.UsrEDIShipToCity is not empty move Order.UsrEDIShipToCity to target else if Account.CityName is not empty move Account.CityName to target else if DevatisShipToAddress.CityName is not empty move DevatisShipToAddress.CityName to target
RegionCode	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipToLocationInformation/address	state	If Order.UsrEDIShipToState is not empty move Order.UsrEDIShipToState to target else if Account.RegionCode is not empty move Account.RegionCode to target else if DevatisShipToAddress.RegionCode is not empty move DevatisShipToAddress.RegionCode to target
Zip	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipToLocationInformation/address	postalCode	If Order.UsrEDIShipToPostal is not empty move Order.UsrEDIShipToPostal to target else if Account.Zip is not empty move Account.Zip to target else if DevatisShipToAddress.Zip is not empty move DevatisShipToAddress.Zip to target
CountryCode	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipToLocationInformation/address	country	If Order.UsrEDIShipToCountry is not empty move Order.UsrEDIShipToCountry to target else if Account.CountryCode is not empty move Account.CountryCode to target else if DevatisShipToAddress.CountryCode is not empty move DevatisShipToAddress.CountryCode to target
DevatisCustomerNumber	-	-	-
DevatisIdentificationNumber	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipToLocationInformation/mpcCompanyLocationIdentifierList	companyIdentifierValue	If UsrEDICustomerIDNumber is not empty move UsrEDICustomerIDNumber to target else if Account.UsrNumber is not empty move Account.UsrNumber to target else if DevatisShipToAddress.UsrNumber is not empty move DevatisShipToAddress.UsrNumber to target else if Account.DevatisIdentificationNumber is not empty move Account.DevatisIdentificationNumber to target else if DevatisShipToAddress.DevatisIdentificationNumber is not empty move DevatisShipToAddress.DevatisIdentificationNumber to target
DevatisIdentificationType	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipToLocationInformation/mpcCompanyLocationIdentifierList	companyIdentifierType	If UsrEDICustomerIDType.Description is not empty move UsrEDICustomerIDType.Description to target else if Account.DevatisIdentificationType is not empty move Account.DevatisIdentificationType to target else if DevatisShipToAddress.DevatisIdentificationType is not empty move DevatisShipToAddress.DevatisIdentificationType to target
DevatisIdentificationTypeId	-	-	-
UsrNumber	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipToLocationInformation/mpcCompanyLocationIdentifierList	companyIdentifierValue	If UsrEDICustomerIDNumber is not empty move UsrEDICustomerIDNumber to target else if Account.UsrNumber is not empty move Account.UsrNumber to target else if DevatisShipToAddress.UsrNumber is not empty move DevatisShipToAddress.UsrNumber to target else if Account.DevatisIdentificationNumber is not empty move Account.DevatisIdentificationNumber to target else if DevatisShipToAddress.DevatisIdentificationNumber is not empty move DevatisShipToAddress.DevatisIdentificationNumber to target

Input Elements	Output Path	Output Element	Mapping Notes/Rules
Supplier	-	-	-
Id	-	-	-
Name	#/data/messageBody/canonicalWarehouseShipOrderHeader/supplierBusinessInformation	businessName	If Supplier.Name is not empty move Supplier.Name to target else if DevatisShipper.Name is not empty move DevatisShipper.Name to target else if DevatisSupplierAddress.Name is not empty move DevatisSupplierAddress.Name to target
ModifiedOn	-	-	-
ModifiedById	-	-	-
Phone	#/data/messageBody/canonicalWarehouseShipOrderHeader/supplierBusinessInformation/address	telephone	If Supplier.Phone is not empty move Supplier.Phone to target
Address	#/data/messageBody/canonicalWarehouseShipOrderHeader/supplierBusinessInformation/address	address1	If Supplier.Address is not empty move Supplier.Address to target else if DevatisShipper.Address is not empty move DevatisShipper.Address to target else if DevatisSupplierAddress.Address is not empty move DevatisSupplierAddress.Address to target
CityName	#/data/messageBody/canonicalWarehouseShipOrderHeader/supplierBusinessInformation/address	city	If Supplier.CityName is not empty move Supplier.CityName to target else if DevatisShipper.CityName is not empty move DevatisShipper.CityName to target else if DevatisSupplierAddress.CityName is not empty move DevatisSupplierAddress.CityName to target
RegionCode	#/data/messageBody/canonicalWarehouseShipOrderHeader/supplierBusinessInformation/address	state	If Supplier.RegionCode is not empty move Supplier.RegionCode to target else if DevatisShipper.RegionCode is not empty move DevatisShipper.RegionCode to target else if DevatisSupplierAddress.RegionCode is not empty move DevatisSupplierAddress.RegionCode to target
Zip	#/data/messageBody/canonicalWarehouseShipOrderHeader/supplierBusinessInformation/address	postalCode	If Supplier.Zip is not empty move Supplier.Zip to target else if DevatisShipper.Zip is not empty move DevatisShipper.Zip to target else if DevatisSupplierAddress.Zip is not empty move DevatisSupplierAddress.Zip to target
CountryCode	#/data/messageBody/canonicalWarehouseShipOrderHeader/supplierBusinessInformation/address	country	If Supplier.CountryCode is not empty move Supplier.CountryCode to target else if DevatisShipper.CountryCode is not empty move DevatisShipper.CountryCode to target else if DevatisSupplierAddress.CountryCode is not empty move DevatisSupplierAddress.CountryCode to target
DevatisCustomerNumber	-	-	-
DevatisIdentificationNumber	#/data/messageBody/canonicalWarehouseShipOrderHeader/supplierBusinessInformation/mpcCompanyLocationIdentifierList	companyIdentifierValue	If Supplier.UserNumber is not empty move Supplier.UserNumber to target else if DevatisShipper.UserNumber is not empty move DevatisShipper.UserNumber to target else if DevatisSupplierAddress.UserNumber is not empty move DevatisSupplierAddress.UserNumber to target else if supplier.DevatisIdentificationNumber is not empty move supplier.DevatisIdentificationNumber to target else if DevatisShipper.DevatisIdentificationNumber is not empty move DevatisShipper.DevatisIdentificationNumber to target else if DevatisSupplierAddress.DevatisIdentificationNumber is not empty move DevatisSupplierAddress.DevatisIdentificationNumber to target
DevatisIdentificationType	#/data/messageBody/canonicalWarehouseShipOrderHeader/supplierBusinessInformation/mpcCompanyLocationIdentifierList	companyIdentifierType	If Supplier.DevatisIdentificationType is not empty move Supplier.DevatisIdentificationType to target else if DevatisShipper.DevatisIdentificationType is not empty move DevatisShipper.DevatisIdentificationType to target else if DevatisSupplierAddress.DevatisIdentificationType is not empty move DevatisSupplierAddress.DevatisIdentificationType to target
UsrNumber	#/data/messageBody/canonicalWarehouseShipOrderHeader/supplierBusinessInformation/mpcCompanyLocationIdentifierList	companyIdentifierValue	If Supplier.UserNumber is not empty move Supplier.UserNumber to target else if DevatisShipper.UserNumber is not empty move DevatisShipper.UserNumber to target else if DevatisSupplierAddress.UserNumber is not empty move DevatisSupplierAddress.UserNumber to target else if supplier.DevatisIdentificationNumber is not empty move supplier.DevatisIdentificationNumber to target else if DevatisShipper.DevatisIdentificationNumber is not empty move DevatisShipper.DevatisIdentificationNumber to target else if DevatisSupplierAddress.DevatisIdentificationNumber is not empty move DevatisSupplierAddress.DevatisIdentificationNumber to target
	data/controlFileHeader	fileSenderNumber	Supplier.DevatisIdentificationType + "-" + Supplier.UserNumber
Order	-	-	-
Id	-	-	-
ModifiedOn	-	-	-
ModifiedById	-	-	-
Number	-	-	-
AccountId	-	-	-
Date	-	-	-
StatusId	-	-	-
PaymentStatusId	-	-	-
DeliveryStatusId	-	-	-
DueDate	-	-	-
ActualDate	-	-	-
CurrencyId	-	-	-
CurrencyRate	-	-	-
Amount	-	-	-
PaymentAmount	-	-	-
PrimaryAmount	-	-	-
PrimaryPaymentAmount	-	-	-
SourceOrderid	-	-	-
Notes	-	-	-
DeliveryTypeld	-	-	-
PaymentTypeld	-	-	-
ReceiverName	-	-	-
Comment	-	-	-
DevatisParentAccountid	-	-	-
DevatisCustomerPurchaseOrderNumber	#/data/messageBody/canonicalWarehouseShipOrderHeader/transactionReferenceIdentifierList	b2bTransactionIdentifierValue	Store literal Value. where b2bTransactionIdentifierType=PURCHASEORDER
DevatisLoadedOn	-	-	-
DevatisMemo	-	-	-
DevatisEDILocDescription	-	-	-
DevatisEDITerms	-	-	-
UsrAckCodeId	-	-	-
UsrEstimatedDeliveryDate	-	-	-
UsrAutoNumber	-	-	-
UsrEDIShipToCountry	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipToLocationInformation/address	country	If Order.UsrEDIShipToCountry is not empty move Order.UsrEDIShipToCountry to target else if Account.CountryCode is not empty move Account.CountryCode to target else if DevatisShipToAddress.CountryCode is not empty move DevatisShipToAddress.CountryCode to target
UsrEDIShipToPostal	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipToLocationInformation/address	postalCode	If Order.UsrEDIShipToPostal is not empty move Order.UsrEDIShipToPostal to target else if Account.Zip is not empty move Account.Zip to target else if DevatisShipToAddress.Zips is not empty move DevatisShipToAddress.Zips to target
UsrEDIShipToState	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipToLocationInformation/address	state	If Order.UsrEDIShipToState is not empty move Order.UsrEDIShipToState to target else if Account.RegionCode is not empty move Account.RegionCode to target else if DevatisShipToAddress.RegionCode is not empty move DevatisShipToAddress.RegionCode to target

Input Elements	Output Path	Output Element	Mapping Notes/Rules
UsrEDIShipToCity	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipToLocationInformation/address	city	If Order.UsrEDIShipToCity is not empty move Order.UsrEDIShipToCity to target else if Account.CityName is not empty move Account.CityName to target else if DevatisShipToAddress.CityName is not empty move DevatisShipToAddress.CityName to target
UsrEDIShipToAddress	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipToLocationInformation/address	address1	If UsrEDIShipToAddress is not empty move UsrEDIShipToAddress to target else if Account.Address is not empty move Account.Address to target else if DevatisShipToAddress.Address is not empty move DevatisShipToAddress.Address to target
UsrEDIBillToCountry	#/data/messageBody/canonicalWarehouseShipOrderHeader/billToBusinessInformation/address	country	If Order.UsrEDIBillToCountry is not empty move Order.UsrEDIBillToCountry to target else if DevatisParentAccount.CountryCode is not empty move DevatisParentAccount.CountryCode to target else if DevatisBillToAddress.CountryCode is not empty move DevatisBillToAddress.CountryCode to target
UsrEDIBillToState	#/data/messageBody/canonicalWarehouseShipOrderHeader/billToBusinessInformation/address	state	If Order.UsrEDIBillToState is not empty move Order.UsrEDIBillToState to target else if DevatisParentAccount.RegionCode is not empty move DevatisParentAccount.RegionCode to target else if DevatisBillToAddress.RegionCode is not empty move DevatisBillToAddress.RegionCode to target
UsrEDIBillToCity	#/data/messageBody/canonicalWarehouseShipOrderHeader/billToBusinessInformation/address	city	If Order.UsrEDIBillToCity is not empty move Order.UsrEDIBillToCity to target else if DevatisParentAccount.CityName is not empty move DevatisParentAccount.CityName to target else if DevatisBillToAddress.CityName is not empty move DevatisBillToAddress.CityName to target
UsrEDIBillToAddress	#/data/messageBody/canonicalWarehouseShipOrderHeader/billToBusinessInformation/address	address1	If Order.UsrEDIBillToAddress is not empty move Order.UsrEDIBillToAddress to target else if DevatisParentAccount.Address is not empty move DevatisParentAccount.Address to target else if DevatisBillToAddress.Address is not empty move DevatisBillToAddress.Address to target
UsrBillToPostal	#/data/messageBody/canonicalWarehouseShipOrderHeader/billToBusinessInformation/address	postalCode	If Order.UsrEDIBillToPostal is not empty move Order.UsrEDIBillToPostal to target else if DevatisParentAccount.Zip is not empty move DevatisParentAccount.Zip to target else if DevatisBillToAddress.Zip is not empty move DevatisBillToAddress.Zip to target
UsrEDICancelIfNotDeliveredDate	-	-	-
UsrEDIOrderExpiredDate	-	-	-
UsrEDIParentIDNumber	-	-	-
UsrEDIParentIDType	-	-	-
Description	-	-	-
UsrEDICustomerIDNumber	-	-	-
UsrEDICustomerIDType	-	-	-
Description	-	-	-
DevatisParentAccount	-	-	-
Id	-	-	-
Name	#/data/messageBody/canonicalWarehouseShipOrderHeader/billToBusinessInformation	businessName	If DevatisParentAccount.Name is not empty move DevatisParentAccount.Name to target else if DevatisBillToAddress.Name is not empty move DevatisBillToAddress.Name to target
ModifiedOn	-	-	-
ModifiedById	-	-	-
Phone	#/data/messageBody/canonicalWarehouseShipOrderHeader/billToBusinessInformation/address	telephone	If DevatisParentAccount.Phone is not empty move DevatisParentAccount.Phone to target
Address	#/data/messageBody/canonicalWarehouseShipOrderHeader/billToBusinessInformation/address	address1	If Order.UsrEDIBillToAddress is not empty move Order.UsrEDIBillToAddress to target else if DevatisParentAccount.Address is not empty move DevatisParentAccount.Address to target else if DevatisBillToAddress.Address is not empty move DevatisBillToAddress.Address to target
CityName	#/data/messageBody/canonicalWarehouseShipOrderHeader/billToBusinessInformation/address	city	If Order.UsrEDIBillToCity is not empty move Order.UsrEDIBillToCity to target else if DevatisParentAccount.CityName is not empty move DevatisParentAccount.CityName to target else if DevatisBillToAddress.CityName is not empty move DevatisBillToAddress.CityName to target
RegionCode	#/data/messageBody/canonicalWarehouseShipOrderHeader/billToBusinessInformation/address	state	If Order.UsrEDIBillToState is not empty move Order.UsrEDIBillToState to target else if DevatisParentAccount.RegionCode is not empty move DevatisParentAccount.RegionCode to target else if DevatisBillToAddress.RegionCode is not empty move DevatisBillToAddress.RegionCode to target
Zip	#/data/messageBody/canonicalWarehouseShipOrderHeader/billToBusinessInformation/address	postalCode	If Order.UsrEDIBillToPostal is not empty move Order.UsrEDIBillToPostal to target else if DevatisParentAccount.Zip is not empty move DevatisParentAccount.Zip to target else if DevatisBillToAddress.Zip is not empty move DevatisBillToAddress.Zip to target
CountryCode	#/data/messageBody/canonicalWarehouseShipOrderHeader/billToBusinessInformation/address	country	If Order.UsrEDIBillToCountry is not empty move Order.UsrEDIBillToCountry to target else if DevatisParentAccount.CountryCode is not empty move DevatisParentAccount.CountryCode to target else if DevatisBillToAddress.CountryCode is not empty move DevatisBillToAddress.CountryCode to target
DevatisCustomerNumber	-	-	-
DevatisIdentificationNumber	#/data/messageBody/canonicalWarehouseShipOrderHeader/billToBusinessInformation/mpcCompanyLocationIdentifierList	companyIdentifierValue	If UsrEDIParentIDNumber is not empty move UsrEDIParentIDNumber to target else if DevatisParentAccount.UsrNumber is not empty move DevatisParentAccount.UsrNumber to target else if DevatisBillToAddress.UsrNumber is not empty move DevatisBillToAddress.UsrNumber to target else if DevatisParentAccount.DevatisIdentificationNumber is not empty move DevatisParentAccount.DevatisIdentificationNumber to target else if DevatisBillToAddress.DevatisIdentificationNumber is not empty move DevatisBillToAddress.DevatisIdentificationNumber to target
DevatisIdentificationType	#/data/messageBody/canonicalWarehouseShipOrderHeader/billToBusinessInformation/mpcCompanyLocationIdentifierList	companyIdentifierType	If UsrEDIParentIDType.Description is not empty move UsrEDIParentIDType.Description to target else if DevatisParentAccount.DevatisIdentificationType is not empty move DevatisParentAccount.DevatisIdentificationType to target else if DevatisBillToAddress.DevatisIdentificationType is not empty move DevatisBillToAddress.DevatisIdentificationType to target
UsrNumber	#/data/messageBody/canonicalWarehouseShipOrderHeader/billToBusinessInformation/mpcCompanyLocationIdentifierList	companyIdentifierValue	If UsrEDIParentIDNumber is not empty move UsrEDIParentIDNumber to target else if DevatisParentAccount.UsrNumber is not empty move DevatisParentAccount.UsrNumber to target else if DevatisBillToAddress.UsrNumber is not empty move DevatisBillToAddress.UsrNumber to target else if DevatisParentAccount.DevatisIdentificationNumber is not empty move DevatisParentAccount.DevatisIdentificationNumber to target else if DevatisBillToAddress.DevatisIdentificationNumber is not empty move DevatisBillToAddress.DevatisIdentificationNumber to target
Currency	-	-	-
Id	-	-	-
ModifiedOn	-	-	-
ModifiedById	-	-	-
Name	-	-	-
ShortName	-	-	-
Symbol	-	-	-
DevatisShipToAddress	-	-	-
Id	-	-	-
AccountId	-	-	-

Input Elements	Output Path	Output Element	Mapping Notes/Rules
CountryCode	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipToLocationInformation/address	country	If Order.UsrEDIShipToCountry is not empty move Order.UsrEDIShipToCountry to target else if Account.CountryCode is not empty move Account.CountryCode to target else if DevatisShipToAddress.CountryCode is not empty move DevatisShipToAddress.CountryCode to target
RegionCode	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipToLocationInformation/address	state	If Order.UsrEDIShipToState is not empty move Order.UsrEDIShipToState to target else if Account.RegionCode is not empty move Account.RegionCode to target else if DevatisShipToAddress.RegionCode is not empty move DevatisShipToAddress.RegionCode to target
CityName	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipToLocationInformation/address	city	If Order.UsrEDIShipToCity is not empty move Order.UsrEDIShipToCity to target else if Account.CityName is not empty move Account.CityName to target else if DevatisShipToAddress.CityName is not empty move DevatisShipToAddress.CityName to target
Address	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipToLocationInformation/address	address1	If UsrEDIShipToAddress is not empty move UsrEDIShipToAddress to target else if Account.Address is not empty move Account.Address to target else if DevatisShipToAddress.Address is not empty move DevatisShipToAddress.Address to target
Zip	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipToLocationInformation/address	postalCode	If Order.UsrEDIShipToPostal is not empty move Order.UsrEDIShipToPostal to target else if Account.Zip is not empty move Account.Zip to target else if DevatisShipToAddress.Zip is not empty move DevatisShipToAddress.Zip to target
Name	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipToLocationInformation	businessName	If Account.Name is not empty move Account.Name to target else if DevatisShipToAddress.Name is not empty move DevatisShipToAddress.Name to target
DevatisIdentificationNumber	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipToLocationInformation/mpcCompanyLocationIdentifierList	companyIdentifierValue	If UsrEDICustomerIDNumber is not empty move UsrEDICustomerIDNumber to target else if Account.UsrNumber is not empty move Account.UsrNumber to target else if DevatisShipToAddress.UsrNumber is not empty move DevatisShipToAddress.UsrNumber to target else if Account.DevatisIdentificationNumber is not empty move Account.DevatisIdentificationNumber to target else if DevatisShipToAddress.DevatisIdentificationNumber is not empty move DevatisShipToAddress.DevatisIdentificationNumber to target
DevatisIdentificationType	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipToLocationInformation/mpcCompanyLocationIdentifierList	companyIdentifierType	If UsrEDICustomerIDType.Description is not empty move UsrEDICustomerIDType.Description to target else if Account.DevatisIdentificationType is not empty move Account.DevatisIdentificationType to target else if DevatisShipToAddress.DevatisIdentificationType is not empty move DevatisShipToAddress.DevatisIdentificationType to target
UsrNumber	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipToLocationInformation/mpcCompanyLocationIdentifierList	companyIdentifierValue	If UsrEDICustomerIDNumber is not empty move UsrEDICustomerIDNumber to target else if Account.UsrNumber is not empty move Account.UsrNumber to target else if DevatisShipToAddress.UsrNumber is not empty move DevatisShipToAddress.UsrNumber to target else if Account.DevatisIdentificationNumber is not empty move Account.DevatisIdentificationNumber to target else if DevatisShipToAddress.DevatisIdentificationNumber is not empty move DevatisShipToAddress.DevatisIdentificationNumber to target
DevatisBillToAddress	-	-	-
Id	-	-	-
Accountid	-	-	-
CountryCode	#/data/messageBody/canonicalWarehouseShipOrderHeader/billToBusinessInformation/address	country	If Order.UsrEDIBillToCountry is not empty move Order.UsrEDIBillToCountry to target else if DevatisParentAccount.CountryCode is not empty move DevatisParentAccount.CountryCode to target else if DevatisBillToAddress.CountryCode is not empty move DevatisBillToAddress.CountryCode to target
RegionCode	#/data/messageBody/canonicalWarehouseShipOrderHeader/billToBusinessInformation/address	state	If Order.UsrEDIBillToState is not empty move Order.UsrEDIBillToState to target else if DevatisParentAccount.RegionCode is not empty move DevatisParentAccount.RegionCode to target else if DevatisBillToAddress.RegionCode is not empty move DevatisBillToAddress.RegionCode to target
CityName	#/data/messageBody/canonicalWarehouseShipOrderHeader/billToBusinessInformation/address	city	If Order.UsrEDIBillToCity is not empty move Order.UsrEDIBillToCity to target else if DevatisParentAccount.CityName is not empty move DevatisParentAccount.CityName to target else if DevatisBillToAddress.CityName is not empty move DevatisBillToAddress.CityName to target
Address	#/data/messageBody/canonicalWarehouseShipOrderHeader/billToBusinessInformation/address	address1	If Order.UsrEDIBillToAddress is not empty move Order.UsrEDIBillToAddress to target else if DevatisParentAccount.Address is not empty move DevatisParentAccount.Address to target else if DevatisBillToAddress.Address is not empty move DevatisBillToAddress.Address to target
Zip	#/data/messageBody/canonicalWarehouseShipOrderHeader/billToBusinessInformation/address	postalCode	If Order.UsrEDIBillToPostal is not empty move Order.UsrEDIBillToPostal to target else if DevatisParentAccount.Zip is not empty move DevatisParentAccount.Zip to target else if DevatisBillToAddress.Zip is not empty move DevatisBillToAddress.Zip to target
Name	#/data/messageBody/canonicalWarehouseShipOrderHeader/billToBusinessInformation	businessName	If DevatisParentAccount.Name is not empty move DevatisParentAccount.Name to target else if DevatisBillToAddress.Name is not empty move DevatisBillToAddress.Name to target
DevatisIdentificationNumber	#/data/messageBody/canonicalWarehouseShipOrderHeader/billToBusinessInformation/mpcCompanyLocationIdentifierList	companyIdentifierValue	If UsrEDIParentIDNumber is not empty move UsrEDIParentIDNumber to target else if DevatisParentAccount.UsrNumber is not empty move DevatisParentAccount.UsrNumber to target else if DevatisBillToAddress.UsrNumber is not empty move DevatisBillToAddress.UsrNumber to target else if DevatisParentAccount.DevatisIdentificationNumber is not empty move DevatisParentAccount.DevatisIdentificationNumber to target else if DevatisBillToAddress.DevatisIdentificationNumber is not empty move DevatisBillToAddress.DevatisIdentificationNumber to target
DevatisIdentificationType	#/data/messageBody/canonicalWarehouseShipOrderHeader/billToBusinessInformation/mpcCompanyLocationIdentifierList	companyIdentifierType	If UsrEDIParentIDType.Description is not empty move UsrEDIParentIDType.Description to target else if DevatisParentAccount.DevatisIdentificationType is not empty move DevatisParentAccount.DevatisIdentificationType to target else if DevatisBillToAddress.DevatisIdentificationType is not empty move DevatisBillToAddress.DevatisIdentificationType to target
UsrNumber	#/data/messageBody/canonicalWarehouseShipOrderHeader/billToBusinessInformation/mpcCompanyLocationIdentifierList	companyIdentifierValue	If UsrEDIParentIDNumber is not empty move UsrEDIParentIDNumber to target else if DevatisParentAccount.UsrNumber is not empty move DevatisParentAccount.UsrNumber to target else if DevatisBillToAddress.UsrNumber is not empty move DevatisBillToAddress.UsrNumber to target else if DevatisParentAccount.DevatisIdentificationNumber is not empty move DevatisParentAccount.DevatisIdentificationNumber to target else if DevatisBillToAddress.DevatisIdentificationNumber is not empty move DevatisBillToAddress.DevatisIdentificationNumber to target
DevatisShipper	-	-	-
Id	-	-	-



Input Elements	Output Path	Output Element	Mapping Notes/Rules
UsrNumber	#/data/messageBody/canonicalAdvanceShipNoticeHeader/supplierBusinessInformation/mpcCompanyLocationIdentifierList	companyIdentifierValue	if Supplier.UsrNumber is not empty move Supplier.UsrNumber to target else if DevatisShipper.UsrNumber is not empty move DevatisShipper.UsrNumber to target else if DevatisSupplierAddress.UsrNumber is not empty move DevatisSupplierAddress.UsrNumber to target else if Supplier.DevatisIdentificationNumber is not empty move Supplier.DevatisIdentificationNumber to target else if DevatisShipper.DevatisIdentificationNumber is not empty move DevatisShipper.DevatisIdentificationNumber to target else if DevatisSupplierAddress.DevatisIdentificationNumber is not empty move DevatisSupplierAddress.DevatisIdentificationNumber to target
DevatisShipperAddress	-	-	-
Id	-	-	-
CountryCode	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipFromLocationInformation/address	country	Store literal value if present.
RegionCode	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipFromLocationInformation/address	state	Store literal value if present.
CityName	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipFromLocationInformation/address	city	Store literal value if present.
Address	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipFromLocationInformation/address	address1	Store literal value if present.
Zip	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipFromLocationInformation/address	postalCode	Store literal value if present.
Accountid	-	-	-
Name	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipFromLocationInformation	businessName	Store literal value if present.
DevatisIdentificationNumber	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipFromLocationInformation/mpcCompanyLocationIdentifierList	companyIdentifierValue	Store literal value if present.
DevatisIdentificationType	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipFromLocationInformation/mpcCompanyLocationIdentifierList	companyIdentifierType	Store literal value if present.
UsrNumber	#/data/messageBody/canonicalAdvanceShipNoticeHeader/shipFromLocationInformation/mpcCompanyLocationIdentifierList	companyIdentifierValue	if DevatisShipperAddress.UsrNumber is not empty move DevatisShipperAddress.UsrNumber to target
UsrShipmentTrackingType	-	-	-
Id	-	-	-
Name	-	-	-
Description	-	-	-
UsrEquipmentType	-	-	-
Id	-	-	-
Name	-	-	-
Description	-	-	-
UsrShipmentStatus	-	-	-
Id	-	-	-
Name	-	-	-
Description	-	-	-
UsrReferencelocation	-	-	-
Id	-	-	-
Name	-	-	-
Description	-	-	-
UsrShippingMethod	-	-	-
Id	-	-	-
Name	-	-	-
Description	-	-	-
UsrTransportationMethod	-	-	-
Id	-	-	-
Name	-	-	-
Description	-	-	-
UsrTransactionType	-	-	-
Id	-	-	-
CreatedOn	-	-	-
CreatedByid	-	-	-
ModifiedOn	-	-	-
ModifiedByid	-	-	-
Name	-	-	-
Description	-	-	-
ProcessListeners	-	-	-
InvoiceProduct	-	-	-
Id	-	-	-
Name	-	-	-
Notes	-	-	-
DeliveryDate	-	-	-
Quantity	#/data/messageBody/canonicalWarehouseShipOrderItemDetails/itemQuantity	quantityValue	Store literal value where quantityType = DELIVERED
PrimaryPrice	-	-	-
Price	-	-	-
PrimaryAmount	-	-	-
Amount	-	-	-
PrimaryDiscountAmount	-	-	-
DiscountAmount	-	-	-
DiscountPercent	-	-	-
PrimaryTaxAmount	-	-	-
TaxAmount	-	-	-
PrimaryTotalAmount	-	-	-
TotalAmount	-	-	-
DiscountTax	-	-	-
InvoiceId	-	-	-
DevatisLot	#/data/messageBody/canonicalWarehouseShipOrderItemDetails	lotNumber	Store literal value if present.
DevatisExpirationDate	-	-	-
DevatisShipped	-	-	-
DevatisOrdered	-	-	-
DevatisBackOrder	-	-	-
Unit	-	-	-
Name	-	-	-
ShortName	#/data/messageBody/canonicalWarehouseShipOrderItemDetails/itemQuantity	unitOfMeasure	Store literal value if present.
UsrLineNumber	#/data/messageBody/canonicalWarehouseShipOrderItemDetails	lineItemNumber	Store literal value if present.
Product	-	-	-
Name	#/data/messageBody/canonicalWarehouseShipOrderItemDetails/productItemInformation	productDescription	Store literal value if present.
Code	#/data/messageBody/canonicalWarehouseShipOrderItemDetails/productCodeIdentifiers	productCodeValue	Store literal value if present. Where productCodeType=US_NDC542 Remove - from incoming value.
DevatisShipTracking	-	-	-
UsrRequestedShipDate	#/data/messageBody/canonicalWarehouseShipOrderHeader/mpcASNDateranges	plannedStartDate	Store literal value. mpcAsnDateRangeType=REQUESTEDDELIVERY if UsrRequestedShipDate is not empty move UsrRequestedShipDate to target else ifStartDate is not empty move start date to target. If inbound payload has 0001-01-01T00:00:00Z value then do not map.
UsrShipNotBeforeThanDate	#/data/messageBody/canonicalWarehouseShipOrderHeader/mpcASNDateranges	plannedStartDate	Store literal value. mpcAsnDateRangeType=SHIPNOTBEFORE if inbound payload has 0001-01-01T00:00:00Z value then do not map.
UsrShipNotLaterThanDate	#/data/messageBody/canonicalWarehouseShipOrderHeader/mpcASNDateranges	plannedStartDate	Store literal value. mpcAsnDateRangeType=SHIPNOTLATER if inbound payload has 0001-01-01T00:00:00Z value then do not map.
UsrDeliveryNoLaterThanDate	#/data/messageBody/canonicalWarehouseShipOrderHeader/mpcASNDateranges	plannedStartDate	Store literal value. mpcAsnDateRangeType=DELIVERNOLATER if inbound payload has 0001-01-01T00:00:00Z value then do not map.
UsrEstimatedDeliveryDate	#/data/messageBody/canonicalWarehouseShipOrderHeader/mpcASNDateranges	plannedStartDate	Store literal value. Where mpcAsnDateRangeType=ESTIMATEDDELIVERY

 **Review TraceLink's API: Terms of Use**

## Related Content



### **Forecast plan (IDoc)**

Forecasting APIs allow companies to exchange data about anticipated product demand and supply availability with upstream supply chain Partners without giving these Partners access to their serialization system of record.

[\*\*View More\*\*](#)



### **Forecast plan (X12)**

Forecasting APIs allow companies to exchange data about anticipated product demand and supply availability with upstream supply chain Partners without giving these Partners access to their serialization system of record.

[\*\*View More\*\*](#)



### **Forecast plan response (IDoc)**

Forecasting APIs allow companies to exchange data about anticipated product demand and supply availability with downstream supply chain Partners without giving these Partners access to their serialization system of record.

[\*\*View More\*\*](#)