TRACELINK UNIVERSITY

Warehouse ship order inbound Link Action Transactions

The Link Action Warehouse Ship Order in an ERP system is a structured transaction received by the ERP system, instructing a warehouse or 3PL to ship specific products to a customer or destination. It contains details about the items to be picked, packed, and shipped.

Creatio ERP

The following are the Creatio ERP attributes that are mapped with the Canonical attributes and their output path.

- **Transform Name**:
  - STD_Transform_MPL_Creatio_WarehouseShipOrder_IB_V1

Guidelines

Input Elements	Output Path	Output Element	Mapping Notes/Rules
Id	-	-	-
ModifiedOn	-	-	-
ModifiedById	-	-	-
Number	#/data/messageBody/canonicalWarehouseShipOrderHeader/transactionReferenceIdentifierList	b2bTransactionIdentifierValue	Store literal Value. Where b2bTransactionIdentifierType= WAREHOUSESHIPPINGORDER
StartDate	#data/messageBody/canonicalWarehouseShipOrderHeader/mpcASNDateRanges	plannedStartDate	Store literal Value. Where mpcAsnDateRangeType= REQUESTEDDELIVERY if UsrRequestedShipDate is not empty move UsrRequestedShipDate to target else ifStartDate is not empty move start date to target. If inbound payload has has 0001-01-01T00:00:00Z value then do not map.
	#data/messageBody/canonicalWarehouseShipOrderHeader/transactionIdentifierList	transactionDate	Store literal Value. Where b2BTransactionIdentifierType= WAREHOUSESHIPPINGORDER If inbound payload has has 0001-01-01T00:00:00Z value then do not map.
PrimaryAmount	-	-	-
Order Type Code	#/data/messageBody/canonicalWarehouseShipOrderHeader	processingFunctionTypeCode	Hard code to CREATE
PrimaryPaymentAmount	-	-	-
RemindToOwner	-	-	-
RemindToOwnerDate	-	-	-
CurrencyRate	-	-	-
Amount	-	-	-
DueDate	-	-	-
PaymentAmount	-	-	-
Notes	-	-	-
AmountWithoutTax	-	-	-
PrimaryAmountWithoutTax	-	-	-
PaymentAmountWithoutTax	-	-	-
PrimaryPaymentAmountWithoutTax	-	-	-
DevatisDueDate	-	-	-

© TraceLink Inc. 2009 - 2025 All Rights Reserved

Input Elements	Output Path	Output Element	Mapping Notes/Rules
DevatisPurchaseOrderDate	#data/messageBody/canonicalWarehouseShipOrderHeader/mpcASNDateRanges	plannedStartDate	Store literal value. Where mpcAsnDateRangeType=PURCHASEORDER If inbound payload has has 0001-01-01T00:00:00Z value then do not map.
	#data/messageBody/canonicalWarehouseShipOrderHeader/transactionIdentiferList	transactionDate	Store literal Value. Where b2BTransactionIdentiferType= PURCHASEORDER If inbound payload has has 0001-01-01T00:00:00Z value then do not map.
DevatisTrueCommerceInvoiceId	-	-	-
DevatisShipDate	-	-	-
UsrNumberTest	-	-	-
UsrGrossWeight	-	-	-
UsrUnitsShipped	-	-	-
UsrAutoNumber	-	-	-
UsrAvailabilityDate	-	-	-
UsrEDIOrderExipreDate	-	-	-
UsrEDIDueByDate	-	-	-
UsrEDITerms	-	-	-
UsrEDIInvoiceNumber	-	-	-
UsrEDIParentIDNumber	#/data/messageBody/canonicalWarehouseShipOrderHeader/billToBusinessInformation/mpcCompanyLocationIdentifierList	companyIdentifierValue	If UsrEDIParentIDNumber is not empty move UsrEDIParentIDNumber to target else if DevatisParentAccount.UsrNumber is not empty move DevatisParentAccount.UsrNumber to target else if DevatisBillToAddress.UsrNumberris not empty move DevatisBillToAddress.UsrNumberto target else if DevatisParentAccount.DevatisIdentificationNumber is not empty move DevatisParentAccount.DevatisIdentificationNumber to target else if DevatisBillToAddress.DevatisIdentificationNumberis not empty move DevatisBillToAddress.DevatisIdentificationNumberto target
UsrEDIParentIDType	-	-	-
Description	#/data/messageBody/canonicalWarehouseShipOrderHeader/billToBusinessInformation/mpcCompanyLocationIdentifierList	companyIdentifierType	if UsrEDIParentIDType.Description is not empty move UsrEDIParentIDType.Description to target else if DevatisParentAccount.DevatisIdentifcationType is not empty Move DevatisParentAccount.DevatisIdentifcationType to target else if DevatisBillToAddress.DevatisIdentificationTypeis not empty move DevatisBillToAddress.DevatisIdentificationTypeto target
UsrEDICustomerIDNumber	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipToLocationInformation/mpcCompanyLocationIdentifierList	companyIdentifierValue	if UsrEDICustomerIDNumber is not empty move UsrEDICustomerIDNumber to target else if Account.UsrNumber is not empty moveAccount.UsrNumber to target else if DevatisShipToAddress.UsrNumber is not empty move DevatisShipToAddress.UsrNumber to target else if Account.DevatisIdentificationNumber is not empty move Account.DevatisIdentificationNumber to target else if DevatisShipToAddress.DevatisIdentificationNumber is not empty move DevatisShipToAddress.DevatisIdentificationNumberto target
UsrEDICustomerIDType	-	-	-
Description	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipToLocationInformation/mpcCompanyLocationIdentifierList	companyIdentifierType	if UsrEDICustomerIDType.Description is not empty move UsrEDICustomerIDType.Description to target else if Account.DevatisIdentifcationType is not empty Move Account.DevatisIdentifcationType to target elseif DevatisShipToAddess.DevatisIdentifcationType is not empty moveDevatisShipToAddess.DevatisIdentifcationType to target
UsrEDI3PLReceiver	data/customFields	name	This will be the field name UsrEDI3PLReceiver
	data/customFields	value	Store literal value if present.
Account	-	-	-
Id	-	-	-
Name	#/data/messageBody/canonicalWarehouseShipOrderHeaderr/shipToLocationInformation	businessName	if Account.Name is not emptymove Account.Name to target else if DevatisShipToAddress.Name is not empty move DevatisShipToAddress.Name to target
ModifiedOn	-	-	-
ModifiedById	-	-	-
Phone	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipToLocationInformation/address	telephone	if Account.Phone is not emptymove Account.Phone to target else if DevatisShipToAddress.Phone is not empty move DevatisShipToAddress.Phone Name to target
Address	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipToLocationInformation/address	address1	if UsrEDIShipToAddress is not emptymove UsrEDIShipToAddress to target else ifAccount.Address is not emptymoveAccount.Address to target else if DevatisShipToAddress.Addressis not emptymove DevatisShipToAddress.Address to target
CityName	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipToLocationInformation/address	city	if Order.UsrEDIShipToCity is not emptymove Order.UsrEDIShipToCity to target else ifAccount.CityName is not emptymoveAccount.CityName to target else if DevatisShipToAddress.CityNameis not emptymove DevatisShipToAddress.CityName to target
RegionCode	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipToLocationInformation/address	state	if Order.UsrEDIShipToState is not emptymove Order.UsrEDIShipToState to target else ifAccount.RegionCode is not emptymoveAccount.RegionCode to target else if DevatisShipToAddress.RegionCodeis not emptymove DevatisShipToAddress.RegionCode to target
Zip	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipToLocationInformation/address	postalCode	if Order.UsrEDIShipToPostal is not emptymove Order.UsrEDIShipToPostale to target else ifAccount.Zip is not emptymoveAccount.Zip to target else if DevatisShipToAddress.Zipis not emptymove DevatisShipToAddress.Zip to target
CountryCode	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipToLocationInformation/address	country	if Order.UsrEDIShipToCountry is not emptymove Order.UsrEDIShipToCountry to target else ifAccount.CountryCode is not emptymoveAccount.CountryCode to target else if DevatisShipToAddress.CountryCodeis not emptymove DevatisShipToAddress.CountryCode to target
DevatisCustomerNumber	-	-	-
DevatisIdentificationNumber	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipToLocationInformation/mpcCompanyLocationIdentifierList	companyIdentifierValue	if UsrEDICustomerIDNumber is not empty move UsrEDICustomerIDNumber to target else if Account.UsrNumber is not empty moveAccount.UsrNumber to target else if DevatisShipToAddress.UsrNumber is not empty move DevatisShipToAddress.UsrNumber to target else if Account.DevatisIdentificationNumber is not empty move Account.DevatisIdentificationNumber to target else if DevatisShipToAddress.DevatisIdentificationNumber is not empty move DevatisShipToAddress.DevatisIdentificationNumberto target
DevatisIdentificationType	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipToLocationInformation/mpcCompanyLocationIdentifierList	companyIdentifierType	if UsrEDICustomerIDType.Description is not empty move UsrEDICustomerIDType.Description to target if Account.DevatisIdentificationType is not empty move Account.DevatisIdentificationType to target else if DevatisShipToAddress.DevatisIdentificationType is not empty move DevatisShipToAddress.DevatisIdentificationTypeto target
DevatisIdentificationTypeId	-	-	-
UsrNumber	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipToLocationInformation/mpcCompanyLocationIdentifierList	companyIdentifierValue	if UsrEDICustomerIDNumber is not empty move UsrEDICustomerIDNumber to target else if Account.UsrNumber is not empty moveAccount.UsrNumber to target else if DevatisShipToAddress.UsrNumber is not empty move DevatisShipToAddress.UsrNumber to target else if Account.DevatisIdentificationNumber is not empty move Account.DevatisIdentificationNumber to target else if DevatisShipToAddress.DevatisIdentificationNumber is not empty move DevatisShipToAddress.DevatisIdentificationNumberto target

© TraceLink Inc. 2009 - 2025 All Rights Reserved

Input Elements	Output Path	Output Element	Mapping Notes/Rules
Supplier	-	-	-
Id	-	-	-
Name	#/data/messageBody/canonicalWarehouseShipOrderHeader/supplierBusinessInformation	businessName	if Supplier.Name is not emptymove Supplier.Name to target else ifDevatisShipper.Name is not emptymoveDevatisShipper.Name to target else if DevatisSupplierAddress.Name is not emptymove DevatisSupplierAddress.Name to target
ModifiedOn	-	-	-
ModifiedById	-	-	-
Phone	#/data/messageBody/canonicalWarehouseShipOrderHeader/supplierBusinessInformation/address	telephone	if Supplier.Phone is not emptymove Supplier.Phone to target
Address	#/data/messageBody/canonicalWarehouseShipOrderHeader/supplierBusinessInformation/address	address1	if Supplier.Address is not emptymove Supplier.Address to target else if DevatisShipper.Address is not empty move DevatisShipper.Address to target else if DevatisSupplierAddress.Address is not empty move DevatisSupplierAddress.Address to target
CityName	#/data/messageBody/canonicalWarehouseShipOrderHeader/supplierBusinessInformation/address	city	if Supplier.CityName is not emptymove Supplier.CityName to target else if DevatisShipper.CityName is not empty move DevatisShipper.CityName to target else if DevatisSupplierAddress.CityName is not empty move DevatisSupplierAddress.CityName to target
RegionCode	#/data/messageBody/canonicalWarehouseShipOrderHeader/supplierBusinessInformation/address	state	if Supplier.RegionCode is not emptymove Supplier.RegionCode to target else if DevatisShipper.RegionCode is not empty move DevatisShipper.RegionCode to target else if DevatisSupplierAddress.RegionCode is not empty move DevatisSupplierAddress.RegionCode to target
Zip	#/data/messageBody/canonicalWarehouseShipOrderHeader/supplierBusinessInformation/address	postalCode	if Supplier.Zip is not emptymove Supplier.Zip to target else if DevatisShipper.Zip is not empty move DevatisShipper.Zip to target else if DevatisSupplierAddress.Zip is not empty move DevatisSupplierAddress.Zip to target
CountryCode	#/data/messageBody/canonicalWarehouseShipOrderHeader/supplierBusinessInformation/address	country	if Supplier.CountryCode is not emptymove Supplier.CountryCode to target else if DevatisShipper.CountryCode is not empty move DevatisShipper.CountryCode to target else if DevatisSupplierAddress.CountryCode is not empty move DevatisSupplierAddress.CountryCode to target
DevatisCustomerNumber	-	-	-
DevatisIdentificationNumber	#/data/messageBody/canonicalWarehouseShipOrderHeader/supplierBusinessInformation/mpcCompanyLocationIdentifierList	companyIdentifierValue	if Supplier.UsrNumber is not empty moveSupplier.UsrNumber to target else if DevatisShipper.UsrNumber is not empty move DevatisShipper.UsrNumber to target else if DevatisSupplierAddress.UsrNumber is not empty move DevatisSupplierAddress.UsrNumberto target else if supplier.DevatisIdentificationNumber is not empty move supplier.DevatisIdentificationNumber to target else if DevatisShipper.DevatisIdentificationNumber is not empty move DevatisShipper.DevatisIdentificationNumber to target else if DevatisSupplierAddress.DevatisIdentificationNumber is not empty move DevatisSupplierAddress.DevatisIdentificationNumberto target
DevatisIdentificationType	#/data/messageBody/canonicalWarehouseShipOrderHeader/supplierBusinessInformation/mpcCompanyLocationIdentifierList	companyIdentifierType	if Supplier.DevatisIdentificationType is not empty move Supplier.DevatisIdentificationType to target else if DevatisShipper.DevatisIdentificationType is not empty move DevatisShipper.DevatisIdentificationType to target else if DevatisSupplierAddress.DevatisIdentificationType is not empty move DevatisSupplierAddress.DevatisIdentificationTypeto target
UsrNumber	#/data/messageBody/canonicalWarehouseShipOrderHeader/supplierBusinessInformation/mpcCompanyLocationIdentifierList	companyIdentifierValue	if Supplier.UsrNumber is not empty moveSupplier.UsrNumber to target else if DevatisShipper.UsrNumber is not empty move DevatisShipper.UsrNumber to target else if DevatisSupplierAddress.UsrNumber is not empty move DevatisSupplierAddress.UsrNumberto target else if supplier.DevatisIdentificationNumber is not empty move supplier.DevatisIdentificationNumber to target else if DevatisShipper.DevatisIdentificationNumber is not empty move DevatisShipper.DevatisIdentificationNumber to target else if DevatisSupplierAddress.DevatisIdentificationNumber is not empty move DevatisSupplierAddress.DevatisIdentificationNumberto target
	data/controlFileHeader	fileSenderNumber	Supplier.DevatisIdentificationType +":"+ .Supplier.UsrNumber
Order	-	-	-
Id	-	-	-
ModifiedOn	-	-	-
ModifiedById	-	-	-
Number	-	-	-
AccountId	-	-	-
Date	-	-	-
StatusId	-	-	-
PaymentStatusId	-	-	-
DeliveryStatusId	-	-	-
DueDate	-	-	-
ActualDate	-	-	-
CurrencyId	-	-	-
CurrencyRate	-	-	-
Amount	-	-	-
PaymentAmount	-	-	-
PrimaryAmount	-	-	-
PrimaryPaymentAmount	-	-	-
SourceOrderId	-	-	-
Notes	-	-	-
DeliveryTypeId	-	-	-
PaymentTypeId	-	-	-
ReceiverName	-	-	-
Comment	-	-	-
DevatisParentAccountId	-	-	-
DevatisCustomerPurchaseOrderNumber	#/data/messageBody/canonicalWarehouseShipOrderHeader/transactionReferenceIdentifierList	b2bTransactionIdentifierValue	Store literal Value. where b2bTransactionIdentifierType=PURCHASEORDER
DevatisLoadedOn	-	-	-
DevatisMemo	-	-	-
DevatisEDILocDescription	-	-	-
DevatisEDITerms	-	-	-
UsrAckCodeId	-	-	-
UsrEstimatedDeliveryDate	-	-	-
UsrAutoNumber	-	-	-
UsrEDIShipToCountry	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipToLocationInformation/address	country	if Order.UsrEDIShipToCountry is not emptymove Order.UsrEDIShipToCountry to target else ifAccount.CountryCode is not emptymoveAccount.CountryCode to target else if DevatisShipToAddress.CountryCodeis not emptymove DevatisShipToAddress.CountryCode to target
UsrEDIShipToPostal	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipToLocationInformation/address	postalCode	if Order.UsrEDIShipToPostal is not emptymove Order.UsrEDIShipToPostale to target else ifAccount.Zip is not emptymoveAccount.Zip to target else if DevatisShipToAddress.Zipis not emptymove DevatisShipToAddress.Zip to target
UsrEDIShipToState	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipToLocationInformation/address	state	if Order.UsrEDIShipToState is not emptymove Order.UsrEDIShipToState to target else ifAccount.RegionCode is not emptymoveAccount.RegionCode to target else if DevatisShipToAddress.RegionCodeis not emptymove DevatisShipToAddress.RegionCode to target

© TraceLink Inc. 2009 - 2025 All Rights Reserved

Input Elements	Output Path	Output Element	Mapping Notes/Rules
UsrEDIShipToCity	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipToLocationInformation/address	city	if Order.UsrEDIShipToCity is not emptymove Order.UsrEDIShipToCity to target else ifAccount.CityName is not emptymoveAccount.CityName to target else if DevatisShipToAddress.CityNameis not emptymove DevatisShipToAddress.CityName to target
UsrEDIShipToAddress	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipToLocationInformation/address	address1	if UsrEDIShipToAddress is not emptymove UsrEDIShipToAddress to target else ifAccount.Address is not emptymoveAccount.Address to target else if DevatisShipToAddress.Addressis not emptymove DevatisShipToAddress.Address to target
UsrEDIBillToCountry	#/data/messageBody/canonicalWarehouseShipOrderHeader/billToBusinessInformation/address	country	if Order.UsrEDIBillToCountry is not emptymove Order.UsrEDIBillToCountry to target else ifDevatisParentAccount.CountryCode is not emptymoveDevatisParentAccount.CountryCode to target else if DevatisBillToAddress.CountryCodeis not emptymove DevatisBillToAddress.CountryCode to target
UsrEDIBillToState	#/data/messageBody/canonicalWarehouseShipOrderHeader/billToBusinessInformation/address	state	if Order.UsrEDIBillToState is not emptymoveOrder.UsrEDIBillToState to target else ifDevatisParentAccount.RegionCode is not emptymoveDevatisParentAccount.RegionCode to target else if DevatisBillToAddress.RegionCodeis not emptymove DevatisBillToAddress.RegionCode to target
UsrEDIBillToCity	#/data/messageBody/canonicalWarehouseShipOrderHeader/billToBusinessInformation/address	city	if Order.UsrEDIBillToCity is not emptymoveOrder.UsrEDIBillToCity to target else ifDevatisParentAccount.CityName is not emptymoveDevatisParentAccount.CityName to target else if DevatisBillToAddress.CityNameis not emptymove DevatisBillToAddress.CityName to target
UsrEDIBillToAddress	#/data/messageBody/canonicalWarehouseShipOrderHeader/billToBusinessInformation/address	address1	if Order.UsrEDIBillToAddress is not emptymoveOrder.UsrEDIBillToAddress to target else ifDevatisParentAccount.Address is not emptymoveDevatisParentAccount.Address to target else if DevatisBillToAddress.Addresssis not emptymove DevatisBillToAddress.Address to target
UsrBillToPostal	#/data/messageBody/canonicalWarehouseShipOrderHeader/billToBusinessInformation/address	postalCode	if Order.UsrEDIBillToPostal is not emptymove Order.UsrEDIBillToPostal to target else ifDevatisParentAccount.Zip is not emptymoveDevatisParentAccount.Zip to target else if DevatisBillToAddress.Zipis not emptymove DevatisBillToAddress.Zip to target
UsrEDICancelIfNotDeliveredDate	-	-	-
UsrEDIOrderExpiredDate	-	-	-
UsrEDIParentIDNumber	-	-	-
UsrEDIParentIDType	-	-	-
Description	-	-	-
UsrEDICustomerIDNumber	-	-	-
UsrEDICustomerIDType	-	-	-
Description	-	-	-
DevatisParentAccount	-	-	-
Id	-	-	-
Name	#/data/messageBody/canonicalWarehouseShipOrderHeader/billToBusinessInformation	businessName	if DevatisParentAccount.Name is not emptymove DevatisParentAccount.Name to target else ifDevatisBillToAddress.Name is not emptymoveDevatisBillToAddress.Name to target
ModifiedOn	-	-	-
ModifiedById	-	-	-
Phone	#/data/messageBody/canonicalWarehouseShipOrderHeader/billToBusinessInformation/address	telephone	if DevatisParentAccount.Phone is not emptymove DevatisParentAccount.Phone to target
Address	#/data/messageBody/canonicalWarehouseShipOrderHeader/billToBusinessInformation/address	address1	if Order.UsrEDIBillToAddress is not emptymoveOrder.UsrEDIBillToAddress to target else ifDevatisParentAccount.Address is not emptymoveDevatisParentAccount.Address to target else if DevatisBillToAddress.Addresssis not emptymove DevatisBillToAddress.Address to target
CityName	#/data/messageBody/canonicalWarehouseShipOrderHeader/billToBusinessInformation/address	city	if Order.UsrEDIBillToCity is not emptymoveOrder.UsrEDIBillToCity to target else ifDevatisParentAccount.CityName is not emptymoveDevatisParentAccount.CityName to target else if DevatisBillToAddress.CityNameis not emptymove DevatisBillToAddress.CityName to target
RegionCode	#/data/messageBody/canonicalWarehouseShipOrderHeader/billToBusinessInformation/address	state	if Order.UsrEDIBillToState is not emptymoveOrder.UsrEDIBillToState to target else ifDevatisParentAccount.RegionCode is not emptymoveDevatisParentAccount.RegionCode to target else if DevatisBillToAddress.RegionCodeis not emptymove DevatisBillToAddress.RegionCode to target
Zip	#/data/messageBody/canonicalWarehouseShipOrderHeader/billToBusinessInformation/address	postalCode	if Order.UsrEDIBillToPostal is not emptymove Order.UsrEDIBillToPostal to target else ifDevatisParentAccount.Zip is not emptymoveDevatisParentAccount.Zip to target else if DevatisBillToAddress.Zipis not emptymove DevatisBillToAddress.Zip to target
CountryCode	#/data/messageBody/canonicalWarehouseShipOrderHeader/billToBusinessInformation/address	country	if Order.UsrEDIBillToCountry is not emptymove Order.UsrEDIBillToCountry to target else ifDevatisParentAccount.CountryCode is not emptymoveDevatisParentAccount.CountryCode to target else if DevatisBillToAddress.CountryCodeis not emptymove DevatisBillToAddress.CountryCode to target
DevatisCustomerNumber	-	-	-
DevatisIdentificationNumber	#/data/messageBody/canonicalWarehouseShipOrderHeader/billToBusinessInformation/mpcCompanyLocationIdentifierList	companyIdentifierValue	If UsrEDIParentIDNumber is not emapty move UsrEDIParentIDNumber to target else if DevatisParentAccount.UsrNumber is not empty move DevatisParentAccount.UsrNumber to target else if DevatisBillToAddress.UsrNumberis not empty move DevatisBillToAddress.UsrNumberto target else if DevatisParentAccount.DevatisIdentificationNumber is not empty move DevatisParentAccount.DevatisIdentificationNumber to target else if DevatisBillToAddress.DevatisIdentificationNumberis not empty move DevatisBillToAddress.DevatisIdentificationNumberto target
DevatisIdentificationType	#/data/messageBody/canonicalWarehouseShipOrderHeader/billToBusinessInformation/mpcCompanyLocationIdentifierList	companyIdentifierType	if UsrEDIParentIDType.Description is not empty move UsrEDIParentIDType.Description to target else if DevatisParentAccount.DevatisIdentifcationType is not empty Move DevatisParentAccount.DevatisIdentifcationType to target else if DevatisBillToAddress.DevatisIdentificationTypeis not empty move DevatisBillToAddress.DevatisIdentificationTypeto target
UsrNumber	#/data/messageBody/canonicalWarehouseShipOrderHeader/billToBusinessInformation/mpcCompanyLocationIdentifierList	companyIdentifierValue	If UsrEDIParentIDNumber is not emapty move UsrEDIParentIDNumber to target else if DevatisParentAccount.UsrNumber is not empty move DevatisParentAccount.UsrNumber to target else if DevatisBillToAddress.UsrNumberis not empty move DevatisBillToAddress.UsrNumberto target else if DevatisParentAccount.DevatisIdentificationNumber is not empty move DevatisParentAccount.DevatisIdentificationNumber to target else if DevatisBillToAddress.DevatisIdentificationNumberis not empty move DevatisBillToAddress.DevatisIdentificationNumberto target
Currency	-	-	-
Id	-	-	-
ModifiedOn	-	-	-
ModifiedById	-	-	-
Name	-	-	-
ShortName	-	-	-
Symbol	-	-	-
DevatisShipToAddress	-	-	-
Id	-	-	-
AccountId	-	-	-

© TraceLink Inc. 2009 - 2025 All Rights Reserved

Input Elements	Output Path	Output Element	Mapping Notes/Rules
CountryCode	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipToLocationInformation/address	country	if Order.UsrEDIShipToCountry is not emptymove Order.UsrEDIShipToCountry to target else ifAccount.CountryCode is not emptymoveAccount.CountryCode to target else if DevatisShipToAddress.CountryCodeis not emptymove DevatisShipToAddress.CountryCode to target
RegionCode	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipToLocationInformation/address	state	if Order.UsrEDIShipToState is not emptymove Order.UsrEDIShipToState to target else ifAccount.RegionCode is not emptymoveAccount.RegionCode to target else if DevatisShipToAddress.RegionCodeis not emptymove DevatisShipToAddress.RegionCode to target
CityName	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipToLocationInformation/address	city	if Order.UsrEDIShipToCity is not emptymove Order.UsrEDIShipToCity to target else ifAccount.CityName is not emptymoveAccount.CityName to target else if DevatisShipToAddress.CityNameis not emptymove DevatisShipToAddress.CityName to target
Address	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipToLocationInformation/address	address1	if UsrEDIShipToAddress is not emptymove UsrEDIShipToAddress to target else ifAccount.Address is not emptymoveAccount.Address to target else if DevatisShipToAddress.Addressis not emptymove DevatisShipToAddress.Address to target
Zip	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipToLocationInformation/address	postalCode	if Order.UsrEDIShipToPostal is not emptymove Order.UsrEDIShipToPostale to target else ifAccount.Zip is not emptymoveAccount.Zip to target else if DevatisShipToAddress.Zipis not emptymove DevatisShipToAddress.Zip to target
Name	#/data/messageBody/canonicalWarehouseShipOrderHeaderr/shipToLocationInformation	businessName	if Account.Name is not emptymove Account.Name to target else if DevatisShipToAddress.Name is not empty move DevatisShipToAddress.Name to target
DevatisIdentificationNumber	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipToLocationInformation/mpcCompanyLocationIdentifierList	companyIdentifierValue	if UsrEDICustomerIDNumber is not empty move UsrEDICustomerIDNumber to target else if Account.UsrNumber is not empty moveAccount.UsrNumber to target else if DevatisShipToAddress.UsrNumber is not empty move DevatisShipToAddress.UsrNumber to target else if Account.DevatisIdentificationNumber is not empty move Account.DevatisIdentificationNumber to target else if DevatisShipToAddress.DevatisIdentificationNumber is not empty move DevatisShipToAddress.DevatisIdentificationNumberto target
DevatisIdentificationType	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipToLocationInformation/mpcCompanyLocationIdentifierList	companyIdentifierType	if UsrEDICustomerIDType.Description is not empty move UsrEDICustomerIDType.Description to target else if Account.DevatisIdentifcationType is not empty Move Account.DevatisIdentifcationType to target elseif DevatisShipToAddess.DevatisIdentifcationType is not empty moveDevatisShipToAddess.DevatisIdentifcationType to target
UsrNumber	#/data/messageBody/canonicalWarehouseShipOrderHeader/shipToLocationInformation/mpcCompanyLocationIdentifierList	companyIdentifierValue	if UsrEDICustomerIDNumber is not empty move UsrEDICustomerIDNumber to target else if Account.UsrNumber is not empty moveAccount.UsrNumber to target else if DevatisShipToAddress.UsrNumber is not empty move DevatisShipToAddress.UsrNumber to target else if Account.DevatisIdentificationNumber is not empty move Account.DevatisIdentificationNumber to target else if DevatisShipToAddress.DevatisIdentificationNumber is not empty move DevatisShipToAddress.DevatisIdentificationNumberto target
DevatisBillToAddress	-	-	-
Id	-	-	-
AccountId	-	-	-
CountryCode	#/data/messageBody/canonicalWarehouseShipOrderHeader/billToBusinessInformation/address	country	if Order.UsrEDIBillToCountry is not emptymove Order.UsrEDIBillToCountry to target else ifDevatisParentAccount.CountryCode is not emptymoveDevatisParentAccount.CountryCode to target else if DevatisBillToAddress.CountryCodeis not emptymove DevatisBillToAddress.CountryCode to target
RegionCode	#/data/messageBody/canonicalWarehouseShipOrderHeader/billToBusinessInformation/address	state	if Order.UsrEDIBillToState is not emptymoveOrder.UsrEDIBillToState to target else ifDevatisParentAccount.RegionCode is not emptymoveDevatisParentAccount.RegionCode to target else if DevatisBillToAddress.RegionCodeis not emptymove DevatisBillToAddress.RegionCode to target
CityName	#/data/messageBody/canonicalWarehouseShipOrderHeader/billToBusinessInformation/address	city	if Order.UsrEDIBillToCity is not emptymoveOrder.UsrEDIBillToCity to target else ifDevatisParentAccount.CityName is not emptymoveDevatisParentAccount.CityName to target else if DevatisBillToAddress.CityNameis not emptymove DevatisBillToAddress.CityName to target
Address	#/data/messageBody/canonicalWarehouseShipOrderHeader/billToBusinessInformation/address	address1	if Order.UsrEDIBillToAddress is not emptymoveOrder.UsrEDIBillToAddress to target else ifDevatisParentAccount.Address is not emptymoveDevatisParentAccount.Address to target else if DevatisBillToAddress.Addresssis not emptymove DevatisBillToAddress.Address to target
Zip	#/data/messageBody/canonicalWarehouseShipOrderHeader/billToBusinessInformation/address	postalCode	if Order.UsrEDIBillToPostal is not emptymove Order.UsrEDIBillToPostal to target else ifDevatisParentAccount.Zip is not emptymoveDevatisParentAccount.Zip to target else if DevatisBillToAddress.Zipis not emptymove DevatisBillToAddress.Zip to target
Name	#/data/messageBody/canonicalWarehouseShipOrderHeader/billToBusinessInformation	businessName	if DevatisParentAccount.Name is not emptymove DevatisParentAccount.Name to target else ifDevatisBillToAddress.Name is not emptymoveDevatisBillToAddress.Name to target
DevatisIdentificationNumber	#/data/messageBody/canonicalWarehouseShipOrderHeader/billToBusinessInformation/mpcCompanyLocationIdentifierList	companyIdentifierValue	If UsrEDIParentIDNumber is not emapty move UsrEDIParentIDNumber to target else if DevatisParentAccount.UsrNumber is not empty move DevatisParentAccount.UsrNumber to target else if DevatisBillToAddress.UsrNumberris not empty move DevatisBillToAddress.UsrNumberto target else if DevatisParentAccount.DevatisIdentificationNumber is not empty move DevatisParentAccount.DevatisIdentificationNumber to target else if DevatisBillToAddress.DevatisIdentificationNumberis not empty move DevatisBillToAddress.DevatisIdentificationNumberto target
DevatisIdentificationType	#/data/messageBody/canonicalWarehouseShipOrderHeader/billToBusinessInformation/mpcCompanyLocationIdentifierList	companyIdentifierType	if UsrEDIParentIDType.Description is not empty move UsrEDIParentIDType.Description to target else if DevatisParentAccount.DevatisIdentifcationType is not empty Move DevatisParentAccount.DevatisIdentifcationType to target else if DevatisBillToAddress.DevatisIdentificationTypeis not empty move DevatisBillToAddress.DevatisIdentificationTypeto target
UsrNumber	#/data/messageBody/canonicalWarehouseShipOrderHeader/billToBusinessInformation/mpcCompanyLocationIdentifierList	companyIdentifierValue	If UsrEDIParentIDNumber is not emapty move UsrEDIParentIDNumber to target else if DevatisParentAccount.UsrNumber is not empty move DevatisParentAccount.UsrNumber to target else if DevatisBillToAddress.UsrNumberris not empty move DevatisBillToAddress.UsrNumberto target else if DevatisParentAccount.DevatisIdentificationNumber is not empty move DevatisParentAccount.DevatisIdentificationNumber to target else if DevatisBillToAddress.DevatisIdentificationNumberis not empty move DevatisBillToAddress.DevatisIdentificationNumberto target
DevatisShipper	-	-	-
Id	-	-	-

© TraceLink Inc. 2009 - 2025 All Rights Reserved

Input Elements	Output Path	Output Element	Mapping Notes/Rules
Name	#/data/messageBody/canonicalWarehouseShipOrderHeader/supplierBusinessInformation	businessName	if Supplier.Name is not emptymove Supplier.Name to target else ifDevatisShipper.Name is not emptymoveDevatisShipper.Name to target else if DevatisSupplierAddress.Name is not emptymove DevatisSupplierAddress.Name to target
Address	#/data/messageBody/canonicalWarehouseShipOrderHeader/supplierBusinessInformation/address	address1	if Supplier.Address is not emptymove Supplier.Address to target else if DevatisShipper.Address is not empty move DevatisShipper.Address to target else if DevatisSupplierAddress.Address is not empty move DevatisSupplierAddress.Address to target
CityName	#/data/messageBody/canonicalWarehouseShipOrderHeader/supplierBusinessInformation/address	city	if Supplier.CityName is not emptymove Supplier.CityName to target else if DevatisShipper.CityName is not empty move DevatisShipper.CityName to target else if DevatisSupplierAddress.CityName is not empty move DevatisSupplierAddress.CityName to target
RegionCode	#/data/messageBody/canonicalWarehouseShipOrderHeader/supplierBusinessInformation/address	state	if Supplier.RegionCode is not emptymove Supplier.RegionCode to target else if DevatisShipper.RegionCode is not empty move DevatisShipper.RegionCode to target else if DevatisSupplierAddress.RegionCode is not empty move DevatisSupplierAddress.RegionCode to target
Zip	#/data/messageBody/canonicalWarehouseShipOrderHeader/supplierBusinessInformation/address	postalCode	if Supplier.Zip is not emptymove Supplier.Zip to target else if DevatisShipper.Zip is not empty move DevatisShipper.Zip to target else if DevatisSupplierAddress.Zip is not empty move DevatisSupplierAddress.Zip to target
CountryCode	#/data/messageBody/canonicalWarehouseShipOrderHeader/supplierBusinessInformation/address	country	if Supplier.CountryCode is not emptymove Supplier.CountryCode to target else if DevatisShipper.CountryCode is not empty move DevatisShipper.CountryCode to target else if DevatisSupplierAddress.CountryCode is not empty move DevatisSupplierAddress.CountryCode to target
DevatisIdentificationNumber	#/data/messageBody/canonicalWarehouseShipOrderHeader/supplierBusinessInformation/mpcCompanyLocationIdentifierList	companyIdentifierValue	if Supplier.UsrNumber is not empty moveSupplier.UsrNumber to target else if DevatisShipper.UsrNumber is not empty move DevatisShipper.UsrNumber to target else if DevatisSupplierAddress.UsrNumber is not empty move DevatisSupplierAddress.UsrNumberto target else if supplier.DevatisIdentificationNumber is not empty move supplier.DevatisIdentificationNumber to target else if DevatisShipper.DevatisIdentificationNumber is not empty move DevatisShipper.DevatisIdentificationNumber to target else if DevatisSupplierAddress.DevatisIdentificationNumber is not empty move DevatisSupplierAddress.DevatisIdentificationNumberto target
DevatisIdentificationType	#/data/messageBody/canonicalWarehouseShipOrderHeader/supplierBusinessInformation/mpcCompanyLocationIdentifierList	companyIdentifierType	if Supplier.DevatisIdentificationType is not empty move Supplier.DevatisIdentificationType to target if DevatisShipper.DevatisIdentificationTypeis not empty move DevatisShipper.DevatisIdentificationTypeto target if DevatisSupplierAddress.DevatisIdentificationType is not empty move DevatisSupplierAddress.DevatisIdentificationType to target
DevatisIdentificationTypeId	-	-	-
UsrNumber	data/controlFileHeader	fileReceiverNumber	DevatisShipper.DevatisIdentificationType +":"+ .DevatisShipper.UsrNumber
	#/data/messageBody/canonicalWarehouseShipOrderHeader/supplierBusinessInformation/mpcCompanyLocationIdentifierList	companyIdentifierValue	if Supplier.UsrNumber is not empty moveSupplier.UsrNumber to target else if DevatisShipper.UsrNumber is not empty move DevatisShipper.UsrNumber to target else if DevatisSupplierAddress.UsrNumber is not empty move DevatisSupplierAddress.UsrNumberto target else if supplier.DevatisIdentificationNumber is not empty move supplier.DevatisIdentificationNumber to target else if DevatisShipper.DevatisIdentificationNumber is not empty move DevatisShipper.DevatisIdentificationNumber to target else if DevatisSupplierAddress.DevatisIdentificationNumber is not empty move DevatisSupplierAddress.DevatisIdentificationNumberto target
DevatisSupplierAddress	-	-	-
Id	-	-	-
CountryCode	#/data/messageBody/canonicalWarehouseShipOrderHeader/supplierBusinessInformation/address	country	if Supplier.CountryCode is not emptymove Supplier.CountryCode to target else if DevatisShipper.CountryCode is not empty move DevatisShipper.CountryCode to target else if DevatisSupplierAddress.CountryCode is not empty move DevatisSupplierAddress.CountryCode to target
RegionCode	#/data/messageBody/canonicalWarehouseShipOrderHeader/supplierBusinessInformation/address	state	if Supplier.RegionCode is not emptymove Supplier.RegionCode to target else if DevatisShipper.RegionCode is not empty move DevatisShipper.RegionCode to target else if DevatisSupplierAddress.RegionCode is not empty move DevatisSupplierAddress.RegionCode to target
CityName	#/data/messageBody/canonicalWarehouseShipOrderHeader/supplierBusinessInformation/address	city	if Supplier.CityName is not emptymove Supplier.CityName to target else if DevatisShipper.CityName is not empty move DevatisShipper.CityName to target else if DevatisSupplierAddress.CityName is not empty move DevatisSupplierAddress.CityName to target
Address	#/data/messageBody/canonicalWarehouseShipOrderHeader/supplierBusinessInformation/address	address1	if Supplier.Address is not emptymove Supplier.Address to target else if DevatisShipper.Address is not empty move DevatisShipper.Address to target else if DevatisSupplierAddress.Address is not empty move DevatisSupplierAddress.Address to target
Zip	#/data/messageBody/canonicalWarehouseShipOrderHeader/supplierBusinessInformation/address	postalCode	if Supplier.Zip is not emptymove Supplier.Zip to target else if DevatisShipper.Zip is not empty move DevatisShipper.Zip to target else if DevatisSupplierAddress.Zip is not empty move DevatisSupplierAddress.Zip to target
AccountId	-	-	-
Name	#/data/messageBody/canonicalWarehouseShipOrderHeader/supplierBusinessInformation	businessName	if Supplier.Name is not emptymove Supplier.Name to target else ifDevatisShipper.Name is not emptymoveDevatisShipper.Name to target else if DevatisSupplierAddress.Name is not emptymove DevatisSupplierAddress.Name to target
DevatisIdentificationNumber	#/data/messageBody/canonicalWarehouseShipOrderHeader/supplierBusinessInformation/mpcCompanyLocationIdentifierList	companyIdentifierValue	if Supplier.UsrNumber is not empty move Supplier.UsrNumber to target els if DevatisShipper.UsrNumberis not empty move DevatisShipper.UsrNumberto target else if DevatisSupplierAddress.UsrNumber is not empty move DevatisShipperAddress.UsrNumber to target else if Supplier.DevatisIdentificationNumber is not empty move Supplier.DevatisIdentificationNumber to target else if DevatisShipper.DevatisIdentificationNumber is not empty move DevatisShipper.DevatisIdentificationNumber to target else if DevatisSupplierAddress.DevatisIdentificationNumber is not empty move DevatisSupplierAddress.DevatisIdentificationNumber to target
DevatisIdentificationType	#/data/messageBody/canonicalWarehouseShipOrderHeader/supplierBusinessInformation/mpcCompanyLocationIdentifierList	companyIdentifierType	Store literal value if present. if Supplier.DevatisIdentificationType is not empty move Supplier.DevatisIdentificationType to target if DevatisShipper.DevatisIdentificationType is not empty move DevatisShipper.DevatisIdentificationType to target if DevatisSupplierAddress.DevatisIdentificationType is not empty move DevatisSupplierAddress.DevatisIdentificationType to target

© TraceLink Inc. 2009 - 2025 All Rights Reserved

Input Elements	Output Path	Output Element	Mapping Notes/Rules
UsrNumber	#/data/messageBody/canonicalAdvanceShipNoticeHeader/supplierBusinessInformation/mpcCompanyLocationIdentifierList	companyIdentifierValue	if Supplier.UsrNumber is not empty move Supplier.UsrNumber to target els if DevatisShipper.UsrNumberis not empty move DevatisShipper.UsrNumberto target else if DevatisSupplierAddress.UsrNumber is not empty move DevatisSupplierAddress.UsrNumber to target else if Supplier.DevatisIdentificationNumber is not empty move Supplier.DevatisIdentificationNumber to target else if DevatisShipper.DevatisIdentificationNumber is not empty move DevatisShipper.DevatisIdentificationNumber to target else if DevatisSupplierAddress.DevatisIdentificationNumber is not empty move DevatisSupplierAddress.DevatisIdentificationNumber to target
DevatisShipperAddress	-	-	-
Id	-	-	-
CountryCode	#/data/messageBody/canonicalWarehouseShipOrderHeaderr/shipFromLocationInformation/address	country	Store literal value if present.
RegionCode	#/data/messageBody/canonicalWarehouseShipOrderHeaderr/shipFromLocationInformation/address	state	Store literal value if present.
CityName	#/data/messageBody/canonicalWarehouseShipOrderHeaderr/shipFromLocationInformation/address	city	Store literal value if present.
Address	#/data/messageBody/canonicalWarehouseShipOrderHeaderr/shipFromLocationInformation/address	address1	Store literal value if present.
Zip	#/data/messageBody/canonicalWarehouseShipOrderHeaderr/shipFromLocationInformation/address	postalCode	Store literal value if present.
AccountId	-	-	-
Name	#/data/messageBody/canonicalWarehouseShipOrderHeaderr/shipFromLocationInformation	businessName	Store literal value if present.
DevatisIdentificationNumber	#/data/messageBody/canonicalWarehouseShipOrderHeaderr/shipFromLocationInformation/mpcCompanyLocationIdentifierList	companyIdentifierValue	Store literal value if present.
-	-	-	-
DevatisIdentificationType	#/data/messageBody/canonicalWarehouseShipOrderHeaderr/shipFromLocationInformation/mpcCompanyLocationIdentifierList	companyIdentifierType	Store literal value if present.
UsrNumber	#/data/messageBody/canonicalAdvanceShipNoticeHeader/shipFromLocationInformation/mpcCompanyLocationIdentifierList	companyIdentifierValue	if DevatisShipperAddress.UsrNumber is not empty move DevatisShipperAddress.UsrNumber to target
UsrShipmentTrackingType	-	-	-
Id	-	-	-
Name	-	-	-
Description	-	-	-
UsrEquipmentType	-	-	-
Id	-	-	-
Name	-	-	-
Description	-	-	-
UsrShipmentStatus	-	-	-
Id	-	-	-
Name	-	-	-
Description	-	-	-
UsrReferenceIdentification	-	-	-
Id	-	-	-
Name	-	-	-
Description	-	-	-
UsrShippingMethod	-	-	-
Id	-	-	-
Name	-	-	-
Description	-	-	-
UsrTransportationMethod	-	-	-
Id	-	-	-
Name	-	-	-
Description	-	-	-
UsrTransactionType	-	-	-
Id	-	-	-
CreatedOn	-	-	-
CreatedById	-	-	-
ModifiedOn	-	-	-
ModifiedById	-	-	-
Name	-	-	-
Description	-	-	-
ProcessListeners	-	-	-
InvoiceProduct	-	-	-
Id	-	-	-
Name	-	-	-
Notes	-	-	-
DeliveryDate	-	-	-
Quantity	#data/messageBody/canonicalWarehouseShipOrderItemDetails/itemQuantity	quantityValue	Store literal value where quantityType = DELIVERED
PrimaryPrice	-	-	-
Price	-	-	-
PrimaryAmount	-	-	-
Amount	-	-	-
PrimaryDiscountAmount	-	-	-
DiscountAmount	-	-	-
DiscountPercent	-	-	-
PrimaryTaxAmount	-	-	-
TaxAmount	-	-	-
PrimaryTotalAmount	-	-	-
TotalAmount	-	-	-
DiscountTax	-	-	-
InvoiceId	-	-	-
DevatisLot	#data/messageBody/canonicalWarehouseShipOrderItemDetails	lotNumber	Store literal value if present.
DevatisExpirationDate	-	-	-
DevatisShipped	-	-	-
DevatisOrdered	-	-	-
DevatisBackOrder	-	-	-
Unit	-	-	-
-	-	-	-
Name	-	-	-
-	-	-	-
ShortName	#data/messageBody/canonicalWarehouseShipOrderItemDetails/itemQuantity	unitOfMeasure	Store literal value if present.
UsrLineNumber	#/data/messageBody/canonicalWarehouseShipOrderItemDetails	lineItemNumber	Store literal value if present.
Product	-	-	-
-	-	-	-
Name	#data/messageBody/canonicalWarehouseShipOrderItemDetails/productItemInformation	productDescription	Store literal value if present.
Code	#/data/messageBodycanonicalWarehouseShipOrderItemDetails/productCodeIdentifiers	productCodeValue	Store literal value if present. Where productCodeType=US_NDC542 Remove - from incmoming value.
DevatisShipTracking	-	-	-
UsrRequestedShipDate	#data/messageBody/canonicalWarehouseShipOrderHeader/mpcASNDateRanges	plannedStartDate	Store literal value. mpcAsnDateRangeType=REQUESTEDDELIVERY if UsrRequestedShipDate is not empty move UsrRequestedShipDate to target else ifStartDate is not empty move start date to target. If inbound payload has has 0001-01-01T00:00:00Z value then do not map.
UsrShipNotBeforeThanDate	#data/messageBody/canonicalWarehouseShipOrderHeader/mpcASNDateRanges	plannedStartDate	Store literal value. mpcAsnDateRangeType=SHIPNOTBEFORE If inbound payload has has 0001-01-01T00:00:00Z value then do not map.
UsrShipNotLaterThanDate	#data/messageBody/canonicalWarehouseShipOrderHeader/mpcASNDateRanges	plannedStartDate	Store literal value. mpcAsnDateRangeType =SHIPNOTLATER If inbound payload has has 0001-01-01T00:00:00Z value then do not map.
UsrDeliveryNoLaterThanDate	#data/messageBody/canonicalWarehouseShipOrderHeader/mpcASNDateRanges	plannedStartDate	Store literal value. mpcAsnDateRangeType=DELIVERNOLATER If inbound payload has has 0001-01-01T00:00:00Z value then do not map.
UsrEstimatedDeliveryDate	#data/messageBody/canonicalWarehouseShipOrderHeader/mpcASNDateRanges	plannedStartDate	Store literal value. Where mpcAsnDateRangeType= ESTIMATEDDELIVERY

Review TraceLink's **API: Terms of Use**

© TraceLink Inc. 2009 - 2025 All Rights Reserved

Related Content



Forecast plan (IDoc)

Forecasting APIs allow companies to exchange data about anticipated product demand and supply availability with upstream supply chain Partners without giving these Partners access to their serialization system of record.

View More



Forecast plan (X12)

Forecasting APIs allow companies to exchange data about anticipated product demand and supply availability with upstream supply chain Partners without giving these Partners access to their serialization system of record.

View More



Forecast plan response (IDoc)

Forecasting APIs allow companies to exchange data about anticipated product demand and supply availability with downstream supply chain Partners without giving these Partners access to their serialization system of record.

View More

© TraceLink Inc. 2009 - 2025 All Rights Reserved